



# CAMBRIDGE

**premium  
industrial  
products**

---

**WWW.CAMBRIDGERESOURCES.COM**



zipits™

AMRAM™



EXQUISITE®



PIPE Décor™

— AFFILIATE BRANDS —



**PREMIUM  
QUALITY  
PRODUCTS  
& SERVICES**

**INNOVATION  
TOP VALUE  
QUICK  
TURNAROUND  
COMPETITIVE  
PRICING  
PROFICIENT  
CUSTOMER SERVICE**

We pledge to our customers, suppliers, and employees to continuously improve our products, processes, and offerings in order to ensure that working with Cambridge Resources remains the most enjoyable and satisfying experience in the industry.

# 4

CABLE TIES

# 7

SPECIALTY

# 12

MOUNTS

# 12

CLAMPS

# 13

TOOLS

# 15

BRANDED

- Mini 04
- Intermediate 04
- Standard 05
- Heavy Duty 05
- Extreme Weather 06
- Extra Heavy Duty 06


- Releasable 07
- Headstrong™ 07
- Screw Mount 08
- Push Mount 09
- Shoe 09
- Double Headed 09
- I.D. Marker 09
- Ladder 10
- Loop Lock 10
- Loop Tie 10
- Air Handling 10
- Stainless Steel 11

- Saddle 12
- Cable Tie 12

- Cable 12


- Mini 15
- Standard 15
- Vivid 16
- Releasable 16
- Heavy Duty 16
- Double Headed 16
- Screw Mount 16
- Stainless Steel 16
- Headstrong™ 17
- Cable Tie Mounts 17
- Cable Tie Tubes 17
- Kits/Assortments 18

# CABLE TIES



# KEY:


## CTDH11-50COW



\*ALL CABLE TIE LENGTHS ARE APPROXIMATIONS  
\*ALL CABLE TIE WIDTHS ARE APPROXIMATIONS

# QUANTITY:

- M 1,000
- J 150
- L 60
- Q 30
- F 20
- H 500
- C 100
- K 50
- X 25
- T 10




## MINI 18



ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT4-18M9	4 (100)	0.10 (2.4)	18	0.9 (22)	1,000	25	Natural
CT4-18C9	4 (100)	0.10 (2.4)	18	0.9 (22)	100	250	Natural
CT4-18MOW	4 (100)	0.10 (2.4)	18	0.9 (22)	1,000	25	UV Black
CT4-18COW	4 (100)	0.10 (2.4)	18	0.9 (22)	100	250	UV Black
CT5-18M9	5.5 (140)	0.10 (2.4)	18	1.3 (22)	1,000	25	Natural
CT5-18C9	5.5 (140)	0.10 (2.4)	18	1.3 (22)	100	250	Natural
CT5-18MOW	5.5 (140)	0.10 (2.4)	18	1.3 (22)	1,000	25	UV Black
CT5-18COW	5.5 (140)	0.10 (2.4)	18	1.3 (22)	100	250	UV Black
CT8-18M9	8 (200)	0.10 (2.4)	18	2.1 (53)	1,000	20	Natural
CT8-18C9	8 (200)	0.10 (2.4)	18	2.1 (53)	100	200	Natural
CT8-18MOW	8 (200)	0.10 (2.4)	18	2.1 (53)	1,000	20	UV Black
CT8-18COW	8 (200)	0.10 (2.4)	18	2.1 (53)	100	200	UV Black

Cambridge™ cable ties are used in a wide range of applications including electrical, automotive, aerospace, construction, HVAC, home improvement, outdoors, security, and agriculture.



Cambridge™ cable ties are available from 4" to 60" with tensile strengths from 18 lbs. to 250 lbs. Cambridge™ can meet *ANY* of your cable tie requirements.



## INTERMEDIATE 40



ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT6-40M9	6 (150)	0.14 (3.6)	40	1.3 (33)	1,000	25	Natural
CT6-40C9	6 (150)	0.14 (3.6)	40	1.3 (33)	100	250	Natural
CT6-40MOW	6 (150)	0.14 (3.6)	40	1.3 (33)	1,000	25	UV Black
CT6-40COW	6 (150)	0.14 (3.6)	40	1.3 (33)	100	250	UV Black
CT8-40M9	8 (200)	0.14 (3.6)	40	2.0 (52)	1,000	20	Natural
CT8-40C9	8 (200)	0.14 (3.6)	40	2.0 (52)	100	200	Natural
CT8-40MOW	8 (200)	0.14 (3.6)	40	2.0 (52)	1,000	20	UV Black
CT8-40COW	8 (200)	0.14 (3.6)	40	2.0 (52)	100	200	UV Black
CT11-40M9	11.5 (300)	0.14 (3.6)	40	3.0 (76)	1,000	10	Natural
CT11-40C9	11.5 (300)	0.14 (3.6)	40	3.0 (76)	100	100	Natural
CT11-40MOW	11.5 (300)	0.14 (3.6)	40	3.0 (76)	1,000	10	UV Black
CT11-40COW	11.5 (300)	0.14 (3.6)	40	3.0 (76)	100	100	UV Black
CT14-40M9	14.5 (370)	0.14 (3.6)	40	4.0 (102)	1,000	5	Natural
CT14-40C9	14.5 (370)	0.14 (3.6)	40	4.0 (102)	100	50	Natural
CT14-40MOW	14.5 (370)	0.14 (3.6)	40	4.0 (102)	1,000	5	UV Black
CT14-40COW	14.5 (370)	0.14 (3.6)	40	4.0 (102)	100	50	UV Black




# HUNDREDS of USES

Use Cambridge™ cable ties for any indoor or outdoor project that requires bundling, securing, or organizing.



All Cambridge™ cable ties feature our **bent tip design** for a smooth insertion in hard-to-reach places.



## STANDARD 50



ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT7-50C9	7.5 (190)	0.19 (4.8)	50	1.8 (46)	100	100	Natural
CT7-50COW	7.5 (190)	0.19 (4.8)	50	1.8 (46)	100	100	UV Black
CT8-50M9	8 (200)	0.19 (4.8)	50	2.0 (50)	1,000	10	Natural
CT8-50C9	8 (200)	0.19 (4.8)	50	2.0 (50)	100	100	Natural
CT8-50MOW	8 (200)	0.19 (4.8)	50	2.0 (50)	1,000	10	UV Black
CT8-50COW	8 (200)	0.19 (4.8)	50	2.0 (50)	100	100	UV Black
CT11-50M9	11 (280)	0.19 (4.8)	50	2.8 (70)	1,000	5	Natural
CT11-50H9	11 (280)	0.19 (4.8)	50	2.8 (70)	500	10	Natural
CT11-50C9	11 (280)	0.19 (4.8)	50	2.8 (70)	1,000	5	Natural
CT11-50MOW	11 (280)	0.19 (4.8)	50	2.8 (70)	1,000	5	UV Black
CT11-50H0W	11 (280)	0.19 (4.8)	50	2.8 (70)	500	10	UV Black
CT11-50C0W	11 (280)	0.19 (4.8)	50	2.8 (70)	100	50	UV Black
CT14-50M9	14.5 (370)	0.19 (4.8)	50	4.0 (102)	1,000	5	Natural
CT14-50H9	14.5 (370)	0.19 (4.8)	50	4.0 (102)	500	10	Natural
CT14-50C9	14.5 (370)	0.19 (4.8)	50	4.0 (102)	100	50	Natural
CT14-50MOW	14.5 (370)	0.19 (4.8)	50	4.0 (102)	1,000	5	UV Black
CT14-50H0W	14.5 (370)	0.19 (4.8)	50	4.0 (102)	500	10	UV Black
CT14-50C0W	14.5 (370)	0.19 (4.8)	50	4.0 (102)	100	50	UV Black
CT17-50C9	17 (430)	0.19 (4.8)	50	4.3 (110)	100	50	Natural
CT17-50C0W	17 (430)	0.19 (4.8)	50	4.3 (110)	100	50	UV Black
CT24-50C9	24 (610)	0.19 (4.8)	50	7.7 (180)	100	40	Natural
CT24-50C0W	24 (610)	0.19 (4.8)	50	7.7 (180)	100	40	UV Black
CT36-50K9	36 (920)	0.19 (4.8)	50	10.3 (263)	50	20	Natural
CT36-50K0W	36 (920)	0.19 (4.8)	50	10.3 (263)	50	20	UV Black



**CAMBRIDGE™ UV BLACK CABLE TIES ARE SPECIALLY MANUFACTURED TO RESIST THE SUN'S HARMFUL UV RAYS. USE UV BLACK TIES FOR ALL OUTDOOR PROJECTS.**

## HEAVY DUTY 120



ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT8-120C9	8 (200)	0.30 (7.6)	120	2.0 (50)	100	30	Natural
CT8-120COW	8 (200)	0.30 (7.6)	120	2.0 (50)	100	30	UV Black
CT11-120C9	11.5 (300)	0.30 (7.6)	120	3.0 (76)	100	20	Natural
CT11-120COW	11.5 (300)	0.30 (7.6)	120	3.0 (76)	100	20	UV Black
CT14-120C9	14.5 (370)	0.30 (7.6)	120	4.0 (102)	100	20	Natural
CT14-120COW	14.5 (370)	0.30 (7.6)	120	4.0 (102)	100	20	UV Black
CT17-120C9	17 (430)	0.30 (7.6)	120	4.8 (123)	100	20	Natural
CT17-120COW	17 (430)	0.30 (7.6)	120	4.8 (123)	100	20	UV Black
CT21-120C9	21 (530)	0.30 (7.6)	120	5.5 (140)	100	20	Natural
CT21-120COW	21 (530)	0.30 (7.6)	120	5.5 (140)	100	20	UV Black



# HEAVY DUTY 175



ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT17-175C9	17 (430)	0.35 (9)	175	4.3 (110)	100	10	Natural
CT17-175COW	17 (430)	0.35 (9)	175	4.3 (110)	100	10	UV Black
CT21-175K9	21 (530)	0.35 (9)	175	5.5 (140)	50	10	Natural
CT21-175KOW	21 (530)	0.35 (9)	175	5.5 (140)	50	10	UV Black
CT24-175K9	24.5 (630)	0.35 (9)	175	7.1 (180)	50	10	Natural
CT24-175KOW	24.5 (630)	0.35 (9)	175	7.1 (180)	50	10	UV Black
CT32-175K9	32.5 (830)	0.35 (9)	175	9.4 (239)	50	10	Natural
CT32-175KOW	32.5 (830)	0.35 (9)	175	9.4 (239)	50	10	UV Black
CT36-175K9	36 (920)	0.35 (9)	175	10.3 (263)	50	10	Natural
CT36-175KOW	36 (920)	0.35 (9)	175	10.3 (263)	50	10	UV Black
CT48-175K9	48 (1220)	0.35 (9)	175	14.4 (365)	50	10	Natural
CT48-175KOW	48 (1220)	0.35 (9)	175	14.4 (365)	50	10	UV Black
CT48-175XOW	48 (1220)	0.35 (9)	175	14.4 (365)	25	20	UV Black
CT53-175X9	53 (1370)	0.35 (9)	175	16.2 (412)	25	20	Natural
CT53-175XOW	53 (1370)	0.35 (9)	175	16.2 (412)	25	20	UV Black
CT60-175K9	60 (1530)	0.35 (9)	175	18.1 (460)	50	10	Natural
CT60-175KOW	60 (1530)	0.35 (9)	175	18.1 (460)	50	10	UV Black



Meets all your duct work needs

# EXTREME WEATHER 175

ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT36-175KOW-C	36 (920)	0.35 (9)	175	10.3 (263)	50	10	UV Black
CT48-175XOW-C	48 (1220)	0.35 (9)	175	14.4 (365)	25	20	UV Black
CT53-175XOW-C	53 (1370)	0.35 (9)	175	16.2 (412)	25	20	UV Black

\*24" - 48" 175 lb Duct straps have been investigated to ANSI/UL 181B and have also been tested to UL 2043, "Fire Test for Heat and Visible Smoke Release for Discrete Products and Their Accessories Installed in Air-Handling Spaces." These products have been found to be suitable for use in plenums in accordance with the "International Mechanical Code," "Uniform Mechanical Code," and ANSI/NFPA 90A, "Installation of Air-Conditioning and Ventilating Systems".



Secure projects weighing **120lbs TO 250lbs**

# EXTRA HEAVY DUTY 250\*



ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT9-250X9*	9 (230)	0.5 (12.7)	250	2.0 (50)	25	40	Natural
CT9-250XOW*	9 (230)	0.5 (12.7)	250	2.0 (50)	25	40	UV Black
CT18-250X9*	18.5 (480)	0.5 (12.7)	250	4.7 (120)	25	40	Natural
CT18-250XOW*	18.5 (480)	0.5 (12.7)	250	4.7 (120)	25	40	UV Black
CT23-250X9*	23 (580)	0.5 (12.7)	250	6.0 (152)	25	40	Natural
CT23-250XOW*	23 (580)	0.5 (12.7)	250	6.0 (152)	25	40	UV Black
CT29-250X9*	29 (730)	0.5 (12.7)	250	8.0 (204)	25	20	Natural
CT29-250XOW*	29 (730)	0.5 (12.7)	250	8.0 (204)	25	20	UV Black
CT35-250X9*	35 (880)	0.5 (12.7)	250	9.8 (250)	25	20	Natural
CT35-250XOW*	35 (880)	0.5 (12.7)	250	9.8 (250)	25	20	UV Black
CT40-250X9*	40 (1030)	0.5 (12.7)	250	11.5 (292)	25	20	Natural
CT40-250XOW*	40 (1030)	0.5 (12.7)	250	11.5 (292)	25	20	UV Black

\*May require extended lead times



# SPECIALTY TIES

Cambridge™ specialty ties are engineered with specific applications in mind. Whether multiple bundles or multiple usage; extreme weather or extreme weight; ease of use or added flexibility, Cambridge™ specialty ties ensure each application's needs are met with the standards and quality our customers rely on.

## RELEASABLE



ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CTRG6-50C9	6 (150)	0.30 (7.6)	50	1.4 (35)	100	50	Natural
CTRG6-50COW	6 (150)	0.30 (7.6)	50	1.4 (35)	100	50	UV Black
CTRG8-50C9	8 (200)	0.30 (7.6)	50	2.0 (50)	100	90	Natural
CTRG8-50COW	8 (200)	0.30 (7.6)	50	2.0 (50)	100	90	UV Black
CTRG10-50C9	10 (250)	0.30 (7.6)	50	2.6 (66)	100	50	Natural
CTRG10-50COW	10 (250)	0.30 (7.6)	50	2.6 (66)	100	50	UV Black
CTRG12-50C9	12 (250)	0.30 (7.6)	50	3.1 (80)	100	50	Natural
CTRG12-50COW	12 (300)	0.30 (7.6)	50	3.1 (80)	100	50	UV Black
CTRG14-50C9	14 (300)	0.30 (7.6)	50	4.0 (102)	100	50	Natural
CTRG14-50COW	14.5 (370)	0.30 (7.6)	50	4.0 (102)	100	50	UV Black



Cambridge™ releasable cable ties have an **easy push-button release mechanism** that makes them ideal for removal, repositioning, and reusing.

## HEADSTRONG™

## Steel Lock



ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CTHS4-18C9	4 (100)	0.09 (2.4)	18	0.9 (23)	100	50	Natural
CTHS4-18COW	4 (100)	0.09 (2.4)	18	0.9 (23)	100	50	UV Black
CTHS8-18C9	8 (200)	0.09 (2.4)	18	2.0 (51)	100	50	Natural
CTHS8-18COW	8 (200)	0.09 (2.4)	18	2.0 (51)	100	50	UV Black
CTHS6-40C9	6 (155)	0.14 (3.6)	40	1.4 (35)	100	50	Natural
CTHS6-40COW	6 (155)	0.14 (3.6)	40	1.4 (35)	100	50	UV Black
CTHS7-50M9	7 (186)	0.19 (4.8)	50	1.7 (45)	1,000	5	Natural
CTHS7-50C9	7 (186)	0.19 (4.8)	50	1.7 (45)	100	50	Natural
CTHS7-50MOW	7 (186)	0.19 (4.8)	50	1.7 (45)	1,000	5	UV Black
CTHS7-50COW	7 (186)	0.19 (4.8)	50	1.7 (45)	100	50	UV Black
CTHS11-50C9	11 (295)	0.19 (4.8)	50	3.2 (81)	100	50	Natural
CTHS11-50COW	11 (295)	0.19 (4.8)	50	3.2 (81)	100	50	UV Black
CTHS14-50C9	14 (361)	0.19 (4.8)	50	3.9 (100)	100	50	Natural



ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CTHS14-50COW	14 (361)	0.19 (4.8)	50	3.9 (100)	100	50	UV Black
CTHS15-50M9	15 (376)	0.19 (4.8)	50	4.2 (107)	1,000	5	Natural
CTHS15-50C9	15 (376)	0.19 (4.8)	50	4.2 (107)	100	50	Natural
CTHS15-50M0W	15 (376)	0.19 (4.8)	50	4.2 (107)	1,000	5	UV Black
CTHS28-110K9	28 (699)	0.28 (7.0)	110	8.0 (203)	50	10	Natural
CTHS28-110K0W	28 (699)	0.28 (7.0)	110	8.0 (203)	50	10	UV Black
CTHS15-120H9	15 (400)	0.39 (10)	120	4.3 (109)	500	10	Natural
CTHS15-120K9	15 (400)	0.39 (10)	120	4.3 (109)	50	100	Natural
CTHS15-120H0W	15 (400)	0.39 (10)	120	4.3 (109)	500	10	UV Black
CTHS15-120K0W	15 (400)	0.39 (10)	120	4.3 (109)	50	100	UV Black
CTHS18-120K9	18 (450)	0.39 (10)	120	4.9 (124)	50	10	Natural
CTHS18-120K0W	18 (450)	0.39 (10)	120	4.9 (124)	50	10	UV Black



Reinforced metal locking chamber provides increased *strength and security*. Great for ever-changing environments and where constant resistance is placed on the tie.

SCREWMOUNT



ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	SCREW SIZE	BAG QTY	CASE QTY # Bags	COLOR
CTM4-18C9	4 (110)	0.10 (2.4)	18	0.9 (22)	#5	100	100	Natural
CTM4-18C0W	4 (110)	0.10 (2.4)	18	0.9 (22)	#5	100	100	UV Black
CTM6-40C9	6 (150)	0.14 (3.6)	40	1.3 (32)	#8	100	100	Natural
CTM6-40C0W	6 (150)	0.14 (3.6)	40	1.3 (32)	#8	100	100	UV Black
CTM8-50C9	8 (200)	0.19 (4.8)	50	2.0 (50)	#12	100	100	Natural
CTM8-50C0W	8 (200)	0.19 (4.8)	50	2.0 (50)	#12	100	100	UV Black
CTM11-50C9	11 (280)	0.19 (4.8)	50	3.0 (76)	#12	100	50	Natural
CTM11-50C0W	11 (280)	0.19 (4.8)	50	3.0 (76)	#12	100	50	UV Black
CTM14-50C9	14.5 (370)	0.19 (4.8)	50	4.0 (102)	#12	100	50	Natural
CTM14-50C0W	14.5 (370)	0.19 (4.8)	50	4.0 (102)	#12	100	50	UV Black
CTM15-120C9	15 (380)	0.30 (7.6)	120	3.9 (98)	1/4"	100	20	Natural
CTM15-120C0W	15 (380)	0.30 (7.6)	120	3.9 (98)	1/4"	100	20	UV Black



Cambridge™ screw mount cable tie heads feature a screw hole used for mounting the cable tie to any surface.



# PUSH MOUNT



ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	HOLE DIAMETER Inches (mm)	PANEL THICKNESS Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CTP4-18COW	4 (110)	0.10 (2.4)	18	1.1 (28)	0.189 (4.8)	0.094 (2.4)	100	50	UV Black
CTP5-30COW	5 (130)	0.13 (3.2)	30	1.1 (28)	0.157 (4)	0.079 (2.0)	100	50	UV Black
CTP7-50C9	7.5 (200)	0.19 (4.8)	50	1.8 (45)	0.252 (6.4)	0.126 (3.2)	100	100	Natural
CTP7-50COW	7.5 (200)	0.19 (4.8)	50	1.8 (45)	0.252 (6.4)	0.126 (3.2)	100	100	UV Black



Cambridge™ push mount cable ties feature an easy-to-use, built-in anchor mount that securely snaps into pre-drilled holes to secure cables or other objects to surfaces. This eliminates the need for any cable tie base when attaching directly to a panel.

# SHOE TIES



ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CBT11WST	11 (300)	0.14 (3.6)	40	3.2 (82)	1,000	5	Natural
CBT24WST	24 (600)	0.14 (3.6)	18	6.9 (175)	500	20	Natural
CBT31WST	31.5 (800)	0.14 (3.6)	18	9.2 (235)	500	20	Natural




Cambridge™ shoe ties feature a unique stop that restricts the length the tie can be fastened. This allows for easy fitting while also assuring security.

# DOUBLE HEADED





ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CTDH8-50C9	8 (200)	0.19 (48)	50	1.85 (47), 1.77 (45)	100	50	Natural
CTDH8-50MOW	8 (200)	0.19 (48)	50	1.85 (47), 1.77 (45)	1,000	10	UV Black
CTDH8-50COW	8 (200)	0.19 (48)	50	1.85 (47), 1.77 (45)	100	50	UV Black
CTDH11-50C9	11 (300)	0.19 (48)	50	2.83 (72), 2.76 (70)	100	50	Natural
CTDH11-50COW	11 (300)	0.19 (48)	50	2.83 (72), 2.76 (70)	100	50	UV Black



Cambridge™ double headed cable ties feature a two-loop design made for separating wire bundles. The added loop can also fasten to a fixed object, eliminating the need for additional ties.

# IDENTIFICATION MARKER TIES




ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	SCREW SIZE	BAG QTY	CASE QTY # Bags	COLOR
<b>A. FLAG TIE</b>								
CTID4-1-18C9	4.4 (112)	0.10 (2.4)	18	0.7 (18)	1" X 0.3"	100	100	Natural
<b>B. HORIZONTAL</b>								
CTID4-2-18C9	4 (100)	0.10 (2.4)	18	0.7 (18)	1" X 0.3"	100	100	Natural
<b>C. VERTICAL</b>								
CTID7-3-50C9	7.5 (190)	0.19 (4.8)	50	1.8 (46)	0.5" X 1.1"	100	50	Natural
CTID11-3-50C9	10.6 (270)	0.19 (4.8)	50	2.6 (65)	0.5" X 1.1"	100	50	Natural

Easily identify with the benefits of Cambridge™ identification marker ties. Their large write-on area is ideal for imprinting, hot stamping or other specialized customer requirements.

# LADDER TIES

ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT7-LADM9	7 (178)	0.14 (3.6)	28	2.0 (50)	1,000	10	Natural
CT11-LADM9	11 (300)	0.14 (3.6)	40	3.3 (85)	1,000	5	Natural

Cambridge™ ladder ties are more flexible than typical cable ties, making them great for bundling in hard to reach places. Their durable lock keeps bundles that are prone to vibration sturdy and secure. Composed of less plastic than average cable ties, ladder ties are lightweight and environmentally conscious.



# LOOP LOCK

ITEM #	LENGTH Inches (mm)	TENSILE STRENGTH lbs	BAG QTY	CASE QTY # Bags	COLOR
3LL	3 (76)	10	5,000	10	Natural
3LLB	3 (76)	10	5,000	10	Black
5LL	5 (127)	10	5,000	10	Natural
5LLB	5 (127)	10	5,000	10	Black
9LL	9 (229)	10	5,000	10	Natural



Loop locks and loop ties™ are a great way to secure price tags to merchandise, seal totes, and connect many other items.

# LOOP TIE™

ITEM #	LENGTH Inches (mm)	TENSILE STRENGTH lbs	BAG QTY	CASE QTY # Bags	COLOR
5ALT	5 (125)	18	5,000	10	Natural



**AIR HANDLING** **FLAME RETARDANT**  **SMOKE RESISTANT**  FILE NO. E257228


ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CTAH4-18C2	4 (100)	0.1 (2.5)	18	0.9 (22)	100	250	Red
CTAH8-50C2	8 (190)	0.2 (4.8)	50	1.8 (46)	100	100	Red
CTAH11-50C2	11.5 (300)	0.2 (4.8)	50	3.0 (76)	100	50	Red
CTAH14-50C2	14.5 (370)	0.2 (4.8)	50	4.0 (102)	100	50	Red
CTAH14-120C2	14.5 (370)	0.3 (7.6)	120	4.0 (102)	100	20	Red



Cambridge™ plenum rated cable ties are rated for use in spaces designed for routing air through structured areas. These areas include HVAC and network communication systems. They adhere to rigorous safety standards, including unique smoke and flammability densities outlined by NFPA and UL.

# STAINLESS STEEL TIES RESISTANT TO

Cambridge™ stainless steel cable ties have a greater tensile strength than typical plastic ties and are significantly more durable. They are perfect for securing items that are likely to take a lot of abuse. These ties are commonly used for hanging street signs or holding large pipes and hoses in place.



## FIRE | CORROSION | CHEMICALS | WATER | UV EXPOSURE

Holds up to severe weather conditions and environments and is perfect for heavy duty applications

### STAINLESS STEEL 100

ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BAG QTY	CASE QTY # Bags
CTSS6-100C	6 (150)	0.18 (4.6)	100	100	10
CTSS8-100C	8 (200)	0.18 (4.6)	100	100	10
CTSS14-100C	14 (350)	0.18 (4.6)	100	100	10
CTSS20-100C	20 (500)	0.18 (4.6)	100	100	10
CTSS26-100C	26 (650)	0.18 (4.6)	100	100	10
CTSS33-100C	33 (850)	0.18 (4.6)	100	100	10
CTSS47-100C	47 (1200)	0.18 (4.6)	100	100	10



### STAINLESS STEEL 250

ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BAG QTY	CASE QTY # Bags
CTSS8-250C	8 (200)	0.31 (7.8)	250	100	10
CTSS10-250C	10 (250)	0.31 (7.8)	250	100	10
CTSS14-250C	14 (350)	0.31 (7.8)	250	100	10
CTSS20-250C	20 (500)	0.31 (7.8)	250	100	10
CTSS33-250C	33 (850)	0.31 (7.8)	250	100	10
CTSS47-250C	47 (1195)	0.31 (7.8)	250	100	10



### MARINE GRADE STAINLESS STEEL

ITEM #	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	FINISH	BAG QTY	CASE QTY # Bags
CTSS8-100C-MGC*	8 (200)	0.18 (4.6)	100	Coated	100	10
CTSS8-100C-MG*	8 (200)	0.18 (4.6)	100	Uncoated	100	10
CTSS8-250C-MGC*	8 (200)	0.31 (7.8)	250	Coated	100	10
CTSS8-250C-MG*	8 (200)	0.31 (7.8)	250	Uncoated	100	10
CTSS10-250C-MGC*	10 (250)	0.31 (7.8)	250	Coated	100	10
CTSS10-250C-MG*	10 (250)	0.31 (7.8)	250	Uncoated	100	10
CTSS14-100C-MGC*	14 (350)	0.18 (4.6)	100	Coated	100	10
CTSS14-100C-MG*	14 (350)	0.18 (4.6)	100	Uncoated	100	10
CTSS14-250C-MGC*	14 (350)	0.31 (7.8)	250	Coated	100	10
CTSS14-250C-MG*	14 (350)	0.31 (7.8)	250	Uncoated	100	10
CTSS18-450K-MGC*	18 (457)	0.63 (15.9)	450	Coated	50	10
CTSS24-450K-MGC*	24 (610)	0.63 (15.9)	450	Coated	50	10
CTSS30-450K-MGC*	30 (762)	0.63 (15.9)	450	Coated	50	10

\*May require extended lead times



STAINLESS STEEL / MARINE GRADE STAINLESS STEEL

## SADDLE MOUNTS

ITEM #	HOLE DIAMETER Inches (mm)	COUNTERBORE DIAMETER Inches (mm)	SCREW SIZE Mounting	COLOR	BAG QTY	CASE QTY # Bags
SM-1	0.15 (3.7)	0.276 (7)	#6	Natural	100	50
SM-2	0.25 (6.4)	0.496 (12.6)	1/4"	Natural	100	50



## CABLE TIE MOUNTS

· Adhesive backings



ITEM #	SIZE Inches (mm)	COLOR	BAG QTY	CASE QTY # Bags
ACMB50C	0.50 (12.7)	Natural	100	50
ACMB50C-0	0.50 (12.7)	UV Black	100	50
ACMB75C	0.75 (19)	Natural	100	50
ACMB75C-0	0.75 (19)	UV Black	100	50
ACMB11C	1.1 (28)	Natural	100	50
ACMB11C-0	1.1 (28)	UV Black	100	50

· Use with 18 lb  
· No screw hole

· Use with 18 & 40 lb  
· Screw size: #5

· Use with 18, 40, & 50 lb  
· Screw size: #10



## CABLE CLAMPS



ITEM #	A Inches (mm)	B Inches (mm)	C Inches (mm)	SCREW DIAMETER Inches (mm)	COLOR	BAG QTY	CASE QTY # Bags
CC3-1/8	0.130 (3.3)	0.142 (3.6)	0.358 (9.1)	0.21 (5.3)	Natural	100	100
CC3-1/8B	0.130 (3.3)	0.142 (3.6)	0.358 (9.1)	0.21 (5.3)	UV Black	100	100
CC3-3/16	0.189 (4.8)	0.209 (5.3)	0.358 (9.1)	0.21 (5.3)	Natural	100	100
CC3-3/16B	0.189 (4.8)	0.209 (5.3)	0.358 (9.1)	0.21 (5.3)	UV Black	100	100
CC3-1/4	0.260 (6.6)	0.291 (7.4)	0.358 (9.1)	0.21 (5.3)	Natural	100	100
CC3-1/4B	0.260 (6.6)	0.291 (7.4)	0.358 (9.1)	0.21 (5.3)	UV Black	100	100
CC3-5/16	0.307 (7.8)	0.350 (8.9)	0.358 (9.1)	0.21 (5.3)	Natural	100	100
CC3-5/16B	0.307 (7.8)	0.350 (8.9)	0.358 (9.1)	0.21 (5.3)	UV Black	100	100
CC3-3/8	0.382 (9.7)	0.429 (10.9)	0.362 (9.2)	0.21 (5.3)	Natural	100	100
CC3-3/8B	0.382 (9.7)	0.429 (10.9)	0.362 (9.2)	0.21 (5.3)	UV Black	100	100
CC5-1/8	0.114 (2.9)	0.122 (3.1)	0.500 (12.7)	0.21 (5.3)	Natural	100	100
CC5-1/8B	0.114 (2.9)	0.122 (3.1)	0.500 (12.7)	0.21 (5.3)	UV Black	100	100
CC5-1/4	0.232 (5.9)	0.248 (6.3)	0.500 (12.7)	0.21 (5.3)	Natural	100	100
CC5-1/4B	0.232 (5.9)	0.248 (6.3)	0.500 (12.7)	0.21 (5.3)	UV Black	100	100
CC5-3/8	0.358 (9.1)	0.374 (9.5)	0.500 (12.7)	0.21 (5.3)	Natural	100	100
CC5-3/8B	0.358 (9.1)	0.374 (9.5)	0.500 (12.7)	0.21 (5.3)	UV Black	100	100
CC5-1/2	0.480 (12.2)	0.500 (12.7)	0.500 (12.7)	0.21 (5.3)	Natural	100	100
CC5-1/2B	0.480 (12.2)	0.500 (12.7)	0.500 (12.7)	0.21 (5.3)	UV Black	100	100
CC5-9/16	0.543 (13.8)	0.559 (14.2)	0.500 (12.7)	0.21 (5.3)	Natural	100	100
CC5-9/16B	0.543 (13.8)	0.559 (14.2)	0.500 (12.7)	0.21 (5.3)	UV Black	100	100
CC5-5/8	0.607 (15.4)	0.622 (15.8)	0.500 (12.7)	0.21 (5.3)	Natural	100	50
CC5-5/8B	0.607 (15.4)	0.622 (15.8)	0.500 (12.7)	0.21 (5.3)	UV Black	100	50
CC5-3/4	0.732 (18.6)	0.748 (19.0)	0.500 (12.7)	0.21 (5.3)	Natural	100	50
CC5-3/4B	0.732 (18.6)	0.748 (19.0)	0.500 (12.7)	0.21 (5.3)	UV Black	100	50
CC5-7/8	0.858 (21.8)	0.874 (22.2)	0.500 (12.7)	0.21 (5.3)	Natural	100	50
CC5-7/8B	0.858 (21.8)	0.874 (22.2)	0.500 (12.7)	0.21 (5.3)	UV Black	100	50
CC5-1-1/8	1.10 (27.9)	1.122 (28.5)	0.500 (12.7)	0.21 (5.3)	Natural	100	50
CC5-1-1/8B	1.10 (27.9)	1.122 (28.5)	0.500 (12.7)	0.21 (5.3)	UV Black	100	50

Cambridge™ cable clamps feature a screw hole designed for mounting bundles of wires, cables, and ropes to a wall or panel. The cable clamps are easy to use and provide a strong hold around wires, cables, ropes, and more.





Cambridge™ cable tie tools are highly recommended for repetitive use. They are designed with comfort and ease in mind.

## CABLE TIE TOOLS



### CTT-701

This lightweight and economical cable tie tool allows you to easily tighten cable ties to the desired tension for a maximum hold around wires. A slight twist of the tool cuts off the excess strap from the cable tie. Ergonomically designed, this tool is easy to use without straining your hands.



### CTT-702

This lightweight plastic tool automatically controls tension and cutoff by squeezing its handle. It cuts close to the head of the cable tie to ensure no sharp edges are sticking out. Ergonomically designed to reduce operator fatigue.

Ideal for 18 lbs. to 50 lbs. tensile strength.



### CTT-702S

This steel cable tie tool automatically controls tension and cutoff by squeezing its handle. It cuts close to the head of the cable tie to ensure no sharp edges are sticking out. Ergonomically designed to reduce operator fatigue.

Ideal for 18 lbs. to 50 lbs. tensile strength.



### CTT-703S

Ideal for 17" to 60" 175lb. cable tie and duct strap installation. A double handle allows you to tighten and cut the cable tie seamlessly.

Use with cable tie item numbers CT17-175C9 through CT60-175K9 (Heavy Duty 175 cable tie product category).






Achieve the perfect tension with Cambridge™ cable tie tools. These tools are designed to enhance fastening as well as simplify the trimming of excess tail length. Position, tighten, and cut ties with ease using any of our specialized cable tie tools.

# zipits™

# BRANDED



**FULL LINE OF CABLE TIES AND DUCT STRAPS**



Most trusted and reliable ties in the industry

Distribution ranging from independent wholesalers to major retailers

Attractive and informative packaging perfect for any retail experience

Durable and reliable (UL Listed)

# 100'S OF USES

Use Cambridge™ cable ties for any indoor or outdoor project that requires bundling, securing, or organizing.



## MINI 18



ITEM #	LENGTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT10283	4" (100)	18	0.9 (22)	100	120	Natural
CT10274	4" (100)	18	0.9 (22)	100	120	UV Black

## STANDARD



ITEM #	LENGTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT10315	6 (150)	40	1.4 (35)	1000	25	Natural
CT10316	6 (150)	40	1.4 (35)	100	120	Natural
CT10318	6 (150)	40	1.4 (35)	100	120	UV Black
CT10284	8 (200)	40	2.1 (53)	100	120	Natural
CT10290	8 (200)	40	2.1 (53)	20	120	Natural
CT10275	8 (200)	40	2.1 (53)	100	120	UV Black
CT10291	8 (200)	40	2.1 (53)	20	120	UV Black
CT10285	11 (280)	40	3.0 (76)	100	120	Natural
CT10286	11 (280)	40	3.0 (76)	100	120	UV Black
CT10293	15 (390)	50	4.1 (105)	10	120	Natural
CT14082	8 (200)	75	2.0 (50)	1000	10	Natural
CT12780	8 (200)	75	2.0 (50)	100	120	Natural
CT14083	8 (200)	75	2.0 (50)	1000	10	UV Black
CT12781	8 (200)	75	2.0 (50)	100	120	UV Black
CT14084	11 (280)	75	2.8 (70)	1000	5	Natural
CT12785	11 (280)	75	2.8 (70)	100	120	Natural
CT14560	11 (280)	75	2.8 (70)	50	120	Natural
CT12784	11 (280)	75	2.8 (70)	20	120	Natural
CT14085	11 (280)	75	2.8 (70)	1000	5	UV Black
CT12783	11 (280)	75	2.8 (70)	100	120	UV Black
CT12782	11 (280)	75	2.8 (70)	20	120	UV Black
CT14086	14 (370)	75	4.0 (102)	1000	5	Natural
CT10287	14 (370)	75	4.0 (102)	100	60	Natural
CT12787	14 (370)	75	4.0 (102)	20	120	Natural
CT14087	14 (370)	75	4.0 (102)	1000	5	UV Black
CT10276	14 (370)	75	4.0 (102)	100	60	UV Black
CT12786	14 (370)	75	4.0 (102)	20	120	UV Black

## VIVID



ITEM #	LENGTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT10298	8 (200)	40	2.1 (53)	20	120	White
CT10295	8 (200)	50	2.1 (53)	20	120	Red
CT10296	8 (200)	50	2.1 (53)	20	120	Blue
CT12795	4 (100)	18	0.9 (22)	120	120	Red/Orange/ Green/Blue/ Silver/Purple/ Pink/ UV Black
	8 (200)	50	2.0 (50)	4 ea size/color		
	11 (280)	50	2.8 (70)	12 ea size/UVB		

## RELEASABLE



ITEM #	LENGTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT12797	8 (200)	40	2.0 (50)	20	120	Natural
CT12796	8 (200)	40	2.0 (50)	20	120	UV Black
CT12791	8, 11 (200, 280)	40	2.0 (50) 2.9 (75)	80 (20/ea)	120	UV Black/ Natural

## HEAVY DUTY



ITEM #	LENGTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT10340	8 (200)	120	2.0 (50)	100	30	UV Black
CT12805	14 (370)	120	4.0 (102)	100	36	Natural
CT12804	14 (370)	120	4.0 (102)	100	36	UV Black
CT12806	36 (920)	175	10.3 (263)	5	120	Natural

## DOUBLE HEADED



ITEM #	LENGTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT12799	11 (280)	50	2.8 (72) 2.8 (70)	20	120	Natural
CT12798	11 (280)	50	2.8 (72) 2.8 (70)	20	120	UV Black

## SCREW MOUNT



ITEM #	LENGTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT14088	8 (200)	50	2.0 (50)	100	120	Natural
CT12801	8 (200)	50	2.0 (50)	20	120	Natural
CT14089	8 (200)	50	2.0 (50)	100	120	UV Black
CT12800	8 (200)	50	2.0 (50)	20	120	UV Black
CT14090	11 (280)	50	3.0 (76)	100	120	Natural
CT14091	11 (280)	50	3.0 (76)	100	120	UV Black

## STAINLESS STEEL

ITEM #	LENGTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT12790	8 (200)	100	2.0 (50)	10	120	SS
CT10294	10 (200)	100	2.5 (63)	10	120	SS





ITEM #	LENGTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Bags	COLOR
CT12808	7 (186)	50	1.77 (45)	100	120	Natural
CT12807	7 (186)	50	1.77 (45)	100	120	UV Black
CT12810	11 (295)	50	3.19 (81)	100	120	Natural
CT12809	11 (295)	50	3.19 (81)	100	120	UV Black
CT12812	14 (376)	50	4.21 (107)	100	120	Natural
CT12811	14 (376)	50	4.21 (107)	100	120	UV Black

## CABLE TIE MOUNTS



ITEM #	SIZE Inches (mm)	COLOR	BAG QTY	CASE QTY # Bags
CT12793	1.1 (28)	Natural	10	120
CT12792	1.1 (28)	UV Black	10	120

· Adhesive backings

· Use with 18, 40, & 50 lb  
· Screw Size: #10

## CABLE TIE TUBES

ITEM #	LENGTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	BAG QTY	CASE QTY # Tubes	COLOR	IMAGE
CT13118	4 (100)	18	0.8 (21)	600	18	Natural / UV Black	
	8 (200)	40	2.1 (53)	175 Ea. 4" UVB & N			
	11 (280)	40	3.1 (78)	100 Ea. 8" UVB & N 25 Ea. 11" UVB & N			
CT13622	4 (100)	18	0.8 (21)	650	20	Natural	
	8 (200)	50	2.0 (50)	300 4" Natural			
	11 (280)	50	3.0 (75)	300 8" Natural 50 11" Natural			
CT13623	4 (100)	18	0.8 (21)	650	20	UV Black	
	8 (200)	50	2.0 (50)	300 4" UV Black			
	11 (280)	50	3.0 (75)	300 8" UV Black 50 11" UV black			
CT10282	4 (100)	18	0.8 (21)	700	12	Natural / UV Black	
	8 (200)	40	2.1 (53)	150 Ea. 4" UVB & N			
	11 (280)	40	3.1 (78)	150 Ea. 8" UVB & N 50 Ea. 11" UVB & N			
CT12111	4 (100)	18	0.9 (22)	1000	20	Natural / UV Black	
	6 (150)	40	1.3 (33)	200 Ea. 4" UVB & N			
	8 (200)	50	2.0 (50)	200 6" Natural			
	10 (250)	50	2.4 (60)	100 6" UV Black 100 Ea. 8" UVB & N 100 10" Natural			
CT12802	4 (100)	18	0.8 (21)	900	4	Natural/UV Black/Red/Orange/Yellow/Blue/Green	
	8 (200)	40	2.1 (53)	100 Ea. 4" / color			
	11 (280)	40	3.1 (78)	175 Ea. 8" UVB & N 25 Ea. 11" UVB & N			
CT10289	4 (100)	18	0.9 (22)	300	12	Natural/Red/Yellow/Blue/Green	
	8 (200)	40	2.1 (53)	100 4" Natural			
				25 Ea. 4" / color 50 8" Natural 25 Ea. 8" Red & Blue 1 Roll Black Electrical Tape			

# KITS/ASSORTMENTS

## CT10288 Mini & Intermediate Cable Ties



4" (100mm) | 18lb | 0.9" (22mm)  
8" (200mm) | 40lb | 2.1" (53mm)  
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:  
5 Ea. 4" Red, Blue, Yellow & UV Black  
5 Ea. 8" Red, Blue, Yellow & UV Black  
3 Ea. 11" Red & Yellow  
2 Ea. 11" Blue & UV Black

**50 PCS**  
CASE QTY: 12

## CT10278 Intermediate Cable Ties



8" (200mm) | 40lb | 2.1" (53mm)  
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:  
25 8" UV Black  
25 11" UV Black

**50 PCS**  
CASE QTY: 12

## CT13806 Mini & Intermediate Cable Ties



4" (100mm) | 18lb | 0.9" (22mm)  
8" (200mm) | 40lb | 2.1" (53mm)  
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:  
10 Ea. 4" Red, Yellow, Blue,  
UV Black & Natural  
10 Ea. 8" Red, Yellow, Blue,  
UV Black & Natural  
10 Ea. 11" Red, Yellow, Blue,  
UV Black & Natural

**150 PCS**  
CASE QTY: 12

## CT10277 Mini & Intermediate Cable Ties



4" (100mm) | 18lb | 0.9" (22mm)  
8" (200mm) | 40lb | 2.1" (53mm)  
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:  
100 4" UV Black  
150 8" UV Black  
50 11" UV Black

**300 PCS**  
CASE QTY: 12

## CT13807 Mini & Intermediate Cable Ties



4" (100mm) | 18lb | 0.9" (22mm)  
8" (200mm) | 40lb | 2.1" (53mm)  
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:  
100 4" Natural  
150 8" Natural  
50 11" Natural

**300 PCS**  
CASE QTY: 12

## CT10281 Heavy Duty Cable Ties



6" (150mm) | 120lb | 1.3" (33mm)  
8" (200mm) | 120lb | 2.0" (50mm)  
10" (254mm) | 120lb | 2.6" (65mm)

Breakdown:  
50 6" Natural  
40 8" Natural  
10 10" Natural

**100 PCS**  
CASE QTY: 12

## CT13809 Mini & Intermediate Cable Ties



4" (100mm) | 18lb | 0.9" (22mm)  
8" (200mm) | 40lb | 2.1" (53mm)  
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:  
150 Ea. 4" UV Black & Natural  
150 Ea. 8" UV Black & Natural  
50 Ea. 11" UV Black & Natural

**700 PCS**  
CASE QTY: 12

## CT10279 Releasable Cable Ties



8" (200mm) | 50lb | 2.0" (50mm)

Breakdown:  
10 8" UV Black  
10 8" Natural

**20 PCS**  
CASE QTY: 12

## CT10280 Releasable Cable Ties



12" (300mm) | 50lb | 3.1" (80mm)

Breakdown:  
10 12" UV Black  
10 12" Natural

**20 PCS**  
CASE QTY: 12

## CT11703 Cable Tie Kit Mini & Intermediate Cable Ties, Cable Tie Cutter



4" (100mm) | 18lb | 0.9" (22mm)  
6" (150mm) | 18lb | 1.3" (33mm)  
8" (200mm) | 40lb | 2.1" (53mm)  
10" (250mm) | 40lb | 2.6" (65mm)

Breakdown:  
25 Ea. 4" Red, Yellow, Green & Blue  
100 4" UV Black, 200 4" Natural  
100 6" Natural  
75 Ea. 8" UV Black & Natural  
50 10" Natural  
1 Cable Tie Cutter

**700 PCS**  
CASE QTY: 6

## CT12130 Electrical Kit Mini & Intermediate Cable Ties, Wire Connectors, Electrical Tape



4" (100mm) | 18lb | 0.9" (22mm)  
8" (200mm) | 40lb | 2.1" (53mm)

Breakdown:  
100 Ea. 4" UV Black & Natural  
40 Ea. 8" UV Black & Natural  
30 Red, 60 Orange, 60 Yellow, 80  
Blue Wire Connectors  
6 Rolls Electrical Tape  
(1 ea Yellow, Green, Red, Blue,  
Black, White)

**516 PCS**  
CASE QTY: 6

## CT12803 Cable Tie Kit Mini & Intermediate Cable Ties, Electrical Tape, Cable Tie Cutter



4" (100mm) | 18lb | 0.9" (22mm)  
8" (200mm) | 40lb | 2.1" (53mm)  
11" (280mm) | 40lb | 3.0" (76mm)

Breakdown:  
100 Ea. 4" Natural, UV Black, Red,  
Yellow, Blue & Green  
175 Ea. 8" Natural & UV Black  
25 Ea. 11" Natural & UV Black  
1 Roll Black Electrical Tape  
1 Cutter

**1,000 PCS**  
CASE QTY: 20

## CT12129 Holiday Kit Mini & Intermediate Cable Ties, Cable Tie Mounts



4" (100mm) | 18lb | 0.9" (22mm)  
8" (200mm) | 18lb | 2.1" (53mm)

Breakdown:  
100 Ea. 4" Green & Red  
40 8" Green  
25 Natural .75" Mounts

**265 PCS**  
CASE QTY: 6



**Cambridge Resources**  
600 N. Kilbourn · Chicago, IL 60624  
Phone: 718-927-0009  
Toll Free: 877-922-2538  
Fax: 718-485-4403  
[www.CambridgeResources.com](http://www.CambridgeResources.com)  
[info@cambridgeresources.com](mailto:info@cambridgeresources.com)