



HVAC

WWW.CAMBRIDGERESOURCES.COM

**premium
industrial
products**



zipits™



PIPE Décor™

— AFFILIATE BRANDS —

**PREMIUM
QUALITY
PRODUCTS
& SERVICES**

We pledge to our customers, suppliers, and employees to continuously improve our products, processes and offerings in order to ensure that working with Cambridge Resources remains the most enjoyable and satisfying experience in the industry.

**INNOVATION
TOP VALUE
QUICK
TURNAROUND
COMPETITIVE
PRICING
PROFICIENT
CUSTOMER SERVICE**

**DUCT
SUPPORT**

4

- 04 Duct Straps
- 04 Tensioning Tool
- 05 Webbing
- 05 Hanging Strap

CLAMPS

5

- 05 Quick Release
- 06 Dryer Clamps
- 06 Tension Clamps
- 06 Hose Clamps
- 06 Hose Clamp Jars

**CABLE
MANAGEMENT**

7

- 07 Mini Cable Ties
- 07 Standard Cable Ties
- 08 Screw Mount Ties
- 08 Cable Tie Tubes
- 08 Cable Clamps
- 08 Staples

ELECTRICAL

9

- 09 Terminals
- 14 Terminal Tools
- 14 Terminal Kits
- 15 Wire Connectors
- 16 Wire
- 16 Liquid Tape
- 17 Electrical Tape
- 17 Flexible Conduit
- 17 AC Whip Kits
- 18 Conduit Connectors
- 19 Conduit Straps
- 19 Lock Nut
- 19 Junction Boxes
- 19 Emergency / Steel Covers
- 20 Switches
- 20 Receptacles
- 20 Power Supply Cord

GAUGES

21

- 21 Gas Test Gauge
- 21 Tridicator Boiler Gauge

**PVC
TUBING**

21

- 21 Clear Vinyl Tubing

**CONDENSATE
TRAP**

21

- 21 P-Trap

**FLEXIBLE
COUPLINGS**

21

- 21 Flexible Couplings

**PIPE
HANGING**

21

- 21 J Hook
- 22 Standard Clamp
- 22 Half Clamp
- 22 Suspension Clamp
- 22 Pipe Hangers
- 22 Top Beam Clamp
- 22 Hook Hanger
- 23 Bell Hanger
- 23 2-Hole Pipe Strap
- 23 Stud Guard
- 23 Boca Plate

**ACR COPPER
FITTINGS**

24

- 24 ACR Copper Fittings

**GAS
CONNECTORS**

27

- 27 Standard
- 29 Yellow Coated
- 30 Black Coated
- 31 Kits
- 31 Display
- 31 Fittings
- 31 Valves

**GAS
UNIONS**

32

- 32 Dielectric Union

**GARDEN
HOSE
FITTINGS**

32

- 32 End Cap

**FLARE
NUTS**

32

- 32 Forged Flare Nut Short Type

VALVES

32

- 32 Press Ball
- 32 Sweat Ball
- 32 Threaded Ball

**ACCESS
VALVES**

33

- 33 Access Valves

MISC.

33

- 33 Tool Pouches
- 33 Chip Brushes
- 33 Cloth Towels

**HW
AC**

Cambridge™ has been a leading manufacturer of premium HVAC products for two decades. Cambridge™ products can be found at HVAC wholesale locations throughout the United States.

DUCT SUPPORT

STANDARD DUCT STRAPS



*24" - 48" 175lb. Duct Straps have been investigated to ANSI/UL 181B and have also been tested to UL 2043, "Fire Test for Heat and Visible Smoke Release for Discrete Products and Their Accessories Installed in Air-Handling Spaces." These products have been found to be suitable for use in plenums in accordance with the "International Mechanical Code," "Uniform Mechanical Code," and ANSI/NFPA 90A," Installation of Air-Conditioning and Ventilating Systems.


- Cambridge™ is the market leader for duct straps in the USA
- Straps possess maximum tensile strength for maximum durability
- Feature a bent tip for smooth insertion in hard-to-reach places
- Rounded tip protects users from sharp edges, and makes fastening easier in hard-to-reach places
- Easy to use and locks quickly

Spec:

- 175lb tensile strength
- 0.35" / 9mm width
- UL



ITEM#	SKU#	LENGTH Inches (mm)	BUNDLE DIAMETER Inches (mm)	COLOR	PACK QTY	CASE QTY		
CT24-175K9-B	105597	24.5 (630)	7.1 (180)	Natural	Bag of 50	10 Bags		
CT24-175K0W-B	105596			UV Black				
CT32-175K9-B	105599	32.5 (830)	9.4 (239)	Natural				
CT32-175K0W	105056			UV Black				
CT36-175K9-B	105570	36 (920)	10.3 (263)	Natural				
CT36-175K0W-B	106234			UV Black				
CT48-175K9-B	105840	48 (1220)	14.4 (365)	Natural			Bag of 25	20 Bags
CT48-175X0W-B	108959			UV Black			Bag of 50	10 Bags
CT48-175K0W-B	106235							
CT53-175X9	110594	53 (1370)	16.2 (412)	Natural			Bag of 25	20 Bags
CT53-175X0W-B	112665			UV Black				
CT60-175K9	106337	60 (1530)	18.1 (460)	Natural	Bag of 50	10 Bags		
CT60-175K0W	109831			UV Black				



DUCT SUPPORT

EXTREME WEATHER DUCT STRAPS



Spec:

- Extreme weather
- 175lb tensile strength
- 0.35" / 9mm width
- UL



ITEM#	SKU#	LENGTH Inches (mm)	BUNDLE DIAMETER Inches (mm)	COLOR	PACK QTY	CASE QTY
CT36-175K0W-C	110359	36 (920)	10.3 (263)	UV Black	Bag of 50	10 Bags
CT53-175X0W-C	112411	53 (1346)	16.2 (412)		Bag of 25	20 Bags

DUCT SUPPORT

INDUSTRIAL GRADE STAINLESS STEEL DUCT STRAPS



Spec:

- All weather
- For use with commercial high velocity
- Stainless Steel
- 175lb



Cambridge™ stainless steel industrial grade ties are designed to withstand extreme temperatures and resist corrosion. They can be used in harsh environments.

ITEM#	LENGTH Inches (mm)	BUNDLE DIAMETER Inches (mm)	PACK QTY	CASE QTY
200218	36 (914)	10.35 (263)	Bag of 50	10 Bags

DUCT SUPPORT

TENSIONING TOOL



ITEM# 200060


Installs nylon ties around bundles quickly and safely. It has an easy to operate cut-off mechanism that trims excess strap. The non-slip cushioned handles are perfect for comfort and control.

Designed to work with 40-175lb, 178-778N ties/straps.

DUCT SUPPORT WEBBING




- Cambridge™ duct support webbing makes hanging HVAC flexible duct quick and easy
- Simply string ducts through the webbing after attaching to a support beam with nails or staples
- Durable, easy to use and economical
- UL classified for added peace of mind



ITEM#	SKU#	WIDTH Inches (mm)	ROLL LENGTH Feet	COLOR	CASE QTY
PS134S	105136	1 3/4 (44.5)	300	Silver	24 Rolls
PS134B	105135			Black	
PS134B-50	105545		50		
PS3S	105138	3 (76)	300	Silver	8 Rolls
PS3B	105137			Black	



DUCT SUPPORT HANGING STRAP




ITEM#	SKU#	WIDTH Inches	ROLL LENGTH Feet	COLOR	MATERIAL	CASE QTY
WE11889	112427	3/4	100	Gray	Polypropylene	30 Rolls

CLAMPS QUICK RELEASE



Spec:

- Stainless steel band with zinc plated screw
- Designed to exceed 40 inch-pounds of torque



ITEM#	SKU#	SAE SIZE	CLAMPING DIAMETER Inches	LENGTH Inches (mm)	BAND WIDTH Inches (mm)	CASE QTY
QR-104PB	105734	104	1 3/4 - 7	22 (559)	1/2 (12.7)	200 Pieces
QR-128PB	105866	128	1 3/4 - 8 1/2	27 (686)		100 Pieces
QR-152PB	105867	152	1 3/4 - 10	31 (787)		
QR-188PB	105868	188	1 3/4 - 12 1/4	38 (965)		
QR-232PB	105869	232	1 3/4 - 15	47 (1194)		
QR-258PB	105870	258	1 3/4 - 16 1/4	51 (1295)		
QR-288PB	105871	288	1 3/4 - 18 1/2	57 (1448)		
QR-312PB	105872	312	1 3/4 - 20	63 (1600)		
QR3-104PB	106564	104	1 3/4 - 7	22 (559)	9/16 (14.3)	
QR3-188PB	106068	188	1 3/4 - 12 1/4	38 (965)		

CLAMPS HIGH TORQUE QUICK RELEASE

Spec:

- Stainless steel band with zinc plated screw
- Designed to exceed 80 inch-pounds of torque

ITEM#	SKU#	SAE SIZE	CLAMPING DIAMETER Inches	LENGTH Inches (mm)	BAND WIDTH Inches (mm)	CASE QTY
QR-152PBP	112866	152	1 3/4 - 10	31 (787)	1/2 (12.7)	100 Pieces
QR3-152PBP	106160				9/16 (14.3)	
QR-188PBP	106084	188	1 3/4 - 12 1/4	38 (965)	1/2 (12.7)	
QR3-188PBP	106256				9/16 (14.3)	

WEBBING / HANGING STRAP / QUICK RELEASE CLAMPS / HIGH TORQUE QUICK RELEASE CLAMPS

CLAMPS

BLACK COATED QUICK RELEASE



Spec:

- Stainless steel band with zinc plated screw
- Designed to exceed 40 inch-pounds of torque
- Finished with a smooth black coating

ITEM#	SKU#	SAE SIZE	CLAMPING DIAMETER Inches	LENGTH Inches (mm)	BAND WIDTH Inches (mm)	CASE QTY
QR-104PB-C	107449	104	1 ³ / ₄ - 7	22 (559)	1/2 (12.7)	200 Pieces
QR-152PB-C	107450	152	1 ³ / ₄ - 10	31 (787)		100 Pieces
QR-188PB-C	107451	188	1 ³ / ₄ - 12 ¹ / ₄	38 (965)		

CLAMPS

DRYER



- Cambridge™ dryer ventilation clamps are perfect for the installation of most home and industrial dryers
- Features a unique design which allows for easy-to-tighten convenience
- Dryer clamps can be used on most bath fans

Spec:

- Zinc plated steel

ITEM#	SKU#	SAE SIZE	MINIMUM DIAMETER Inches (mm)	MAXIMUM DIAMETER Inches (mm)	CASE QTY
HC2-48EE	108956	48	2 ⁹ / ₁₆ (65)	3 ¹ / ₂ (89)	200 Pieces
HC2-64EE	107292	64	3 ⁹ / ₁₆ (90)	4 ¹ / ₂ (114)	
HC2-96EE	111519	96	5 ⁵ / ₈ (143)	6 ¹ / ₂ (165)	

CLAMPS

TENSION



Spec:

- Easy to use pressure mechanism
- Use with 4" non-rigid flexible duct
- ASTM standard D-2609
- Lead free compliant

ITEM#	SKU#	SIZE Inches (mm)	CASE QTY
SC-4	107849	4 (102)	500 Pieces

CLAMPS

HOSE CLAMPS



- Cambridge™ hose clamps are multi-purpose clamps used to seal hoses or pipes onto fittings
- They are easy to use and provide a tight and secure hold



See our clamps catalog for a full selection of clamps

Spec:

- Exceed 60 inch-pounds of torque

ITEM#	SKU#	SAE SIZE	MINIMUM DIAMETER Inches	MAXIMUM DIAMETER Inches	BAND WIDTH Inches	PACK QTY	CASE QTY
HC14635	112667	4	7/32	5/8	5/16	Bag of 6	120 Bags
HC14636	112743	6	7/16	25/32			
HC14638	112745	10	9/16	1 ¹ / ₁₆	1/2		
HC14637	112744	16	13/16	1 ¹ / ₂			

HOSE CLAMP JARS

Cambridge™ hose clamp jars are a convenient way to display and store hose clamps. The assortments are made up of commonly used clamps.



ITEM# HC12533
QTY: 15

- 2 pcs SAE 36
 - 3 pcs SAE 20
 - 5 pcs SAE 12
 - 3 pcs SAE *6
 - 2 pcs SAE *4
- * SAE sizes 4 & 6 have 5/16" band. All others have 1/2" band.



ITEM# CJ-HC30
QTY: 30

- 3 pcs of each SAE sizes: *4, *6, 8, 10, 12, 16, 20, 24, 28, 32
- * SAE sizes 4 & 6 have 5/16" band.
- All others have 1/2" band.

STAINLESS STEEL RESISTS CORROSION, HEAT DAMAGE AND CHEMICAL DAMAGE.




CABLE TIES



Cambridge™ cable ties are available in lengths from 4" to 60", with tensile strengths from 18 lbs. to 250 lbs. Cambridge™ can meet ANY of your cable tie requirements.

*All cable tie measurements are approximations



All Cambridge™ cable ties feature our **bent tip design** for a smooth insertion in hard-to-reach places.



CABLE MANAGEMENT

MINI CABLE TIES



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	PACK QTY	CASE QTY
CT10283	110876	4" (100)	0.10 (2.5)	18	0.9 (22)	Natural	Bag of 100	120 Bags
CT10274	110869					UV Black		

CABLE MANAGEMENT

STANDARD CABLE TIES



ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	PACK QTY	CASE QTY
CT10316	111892	6" (150)			1.3 (33)	Natural	Bag of 100	
CT10318	111893					UV Black		
CT10284	110877	8" (200)	0.14 (3.6)	40	2.1 (53)	Natural	Bag of 20	120 Bags
CT10290	110882					UV Black	Bag of 100	
CT10275	110870						Bag of 20	
CT10291	110883					Bag of 100		
CT10285	110878	11" (280)			3.0 (76)	Natural	Bag of 100	
CT10286	110879					UV Black		
CT10293	110884	15" (380)		50	4.1 (105)		Bag of 10	
CT14082	110861	8" (200)						
CT12780	109966		Bag of 100	120 Bags				
CT14083	110862		UV Black	Bag of 1000	10 Bags			
CT12781	109967			Bag of 100	120 Bags			
CT14084	110863	11" (280)	0.19 (4.8)	75	2.8 (70)	Natural	Bag of 1000	5 Bags
CT12785	109971					UV Black	Bag of 100	120 Bags
CT14560	112506						Bag of 50	120 Bags
CT14085	110864					Bag of 1000	5 Bags	
CT12783	109969	Bag of 100	120 Bags					
CT14086	110865	14" (370)			4.0 (102)	Natural	Bag of 1000	5 Bags
CT10287	110860					UV Black	Bag of 100	60 Bags
CT12787	109973						Bag of 20	120 Bags
CT14087	110866					Bag of 1000	5 Bags	
CT10276	110859					UV Black	Bag of 100	60 Bags

MINI CABLE TIES / STANDARD CABLE TIES

CABLE MANAGEMENT

SCREW MOUNT TIES



Cambridge™ screw mount cable tie heads feature a screw hole used for mounting the cable tie to a variety of surfaces.

Spec:

- Screw size #12

ITEM#	SKU#	LENGTH Inches (mm)	WIDTH Inches (mm)	TENSILE STRENGTH lbs	BUNDLE DIAMETER Inches (mm)	COLOR	PACK QTY	CASE QTY
CT14088	110867	8" (200)	0.19 (4.8)	50	2.0 (50)	Natural	Bag of 100	120 Bags
CT14089	110868					UV Black		

CABLE TIES

TUBES ASSTD TIES STANDARD



**CT13623
110653**

Breakdown:
300 4" UV Black 18lb 0.8" (21mm)
300 8" UV Black 50lb 2.0" (50mm)
50 11" UV Black 50lb 3.0" (75mm)

**650 pcs
20/Case**



**CT13622
110652**

Breakdown:
300 4" Natural 18lb 0.8" (21mm)
300 8" Natural 50lb 2.0" (50mm)
50 11" Natural 50lb 3.0" (75mm)

**650 pcs
20/Case**

SCREW MOUNT TIES / ASSORTED TIE TUBES / CABLE CLAMPS / STAPLES

CABLE MANAGEMENT

CABLE CLAMPS



Cambridge™ cable clamps feature a screw hole designed for mounting bundles of wires, cables, and ropes to a wall or panel. The cable clamps are easy to use and provide a strong hold around wires, cables, ropes, and more.



ITEM#	SKU#	A Inches (mm)	B Inches (mm)	C Inches (mm)	SCREW DIAMETER Inches (mm)	COLOR	PACK QTY	CASE QTY
CL14585	112740	0.232 (5.9)	0.248 (6.3)	0.500 (12.7)	0.21 (5.3)	Natural	Bag of 48	120 Bags
CL14586	112741	0.358 (9.1)	0.374 (9.5)				Bag of 41	
CL14587	112742	0.480 (12.2)	0.500 (12.7)				Bag of 25	

CABLE MANAGEMENT

STAPLES



Cambridge™ Staples are designed to organize cable wires and hold them securely in place. Easily insert the staples into wood without causing the wood to split. Plastic and zinc-plated nails resist rust and corrosion caused by extreme weather.



Spec:

AWG
1/2" : 14/2, 12/2, 10/2
3/4" : 14/3, 12/3, 10/3

ITEM#	SKU#	SIZE	MATERIAL	COLOR	PACK QTY	CASE QTY
ST12994	110271	1/2"	Metal	Metal	Clamshell of 50	6 Clamshells
ST12902	110270	1/2"	Plastic	White	Bag of 50	10 Bags
ST14629	112669	1/2"				120 Bags
ST14630	112670	3/4"				

TERMINALS



The Cambridge™ Terminal line covers the most commonly used electrical terminals.

PVC terminals have excellent insulation and flame retardancy.

Weatherproof terminals provides high tensile strength, as well as resistance to weather, stretch and mechanical damage. Use to prevent wire corrosion in your electrical connections.

See our electrical accessories catalog for a full line of bulk packed terminals



Yellow
12-10 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11893	112763	No. 10	Bag of 50	120 Bags
T13744	110961		Clamshell of 13	
T13739	110959	1/4"	Clamshell of 11	120 Clamshells
T13729	110949	5/16"		
T13735	110955	3/8"		

TERMINALS

RING



Red
8 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11897	112675	1/4"	Bag of 6	120 Bags
T11895	112674		Bag of 25	



Assorted
22-16 AWG, 16-14 AWG, 12-10 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T12845	N/A	Red: No. 6 Blue: No. 8 Yellow: No. 8	Clamshell of 18 8 Red, 6 blue, 4 Yellow	120 Clamshells



Red
22-16 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11899	112676	No. 8	Bag of 50	120 Bags
T13756	110972	No. 10	Clamshell of 21	120 Clamshells

TERMINALS

WEATHERPROOF HEAT SEAL RING



Blue
16-14 AWG
Weatherproof

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T13761	110975	No. 10	Clamshell of 10	120 Clamshells
T13754	110970	1/4"		



Blue
16-14 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T12849	N/A	No. 6	Clamshell of 10	120 Clamshells
T13750	110966	No. 8	Clamshell of 20	
T13740	110960	No. 10	Clamshell of 18	
T11896	112764		Bag of 23	120 Bags
T11894	112673		Bag of 50	
T13738	110958	1/4"	Clamshell of 16	120 Clamshells
T13747	110964	3/8"	Clamshell of 14	



Yellow
12-10 AWG
Weatherproof

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T13755	110971	1/4"	Clamshell of 7	120 Clamshells
T13751	110967	3/8"		

TERMINALS

SPADE


 Red
22-16 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11907	112766	No. 8	Bag of 22	120 Bags


 Blue
16-14 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T12860	N/A	No. 8	Clamshell of 10	120 Clamshells
T11906	112679		Bag of 22	120 Bags
T11903	112765		Bag of 50	


 Yellow
12-10 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T12858	N/A	No. 10	Clamshell of 10	120 Clamshells
T11905	112678		Bag of 17	120 Bags
T11902	112677		Bag of 50	


 Assorted
22-18 AWG, 16-14 AWG, 12-10 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T12859	110940	No. 8	Clamshell of 20 8 Red, 7 Blue, 5 Yellow	120 Clamshells

TERMINALS

LOCKING SPADE


 Blue
16-14 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11910	112767	No. 8	Bag of 50	120 Bags

TERMINALS

FEMALE DISCONNECTS


 Red
22-16 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11921	112688	3/16"	Bag of 22	120 Bags
T11919	112686	1/4"		
T11915	112770		Bag of 50	


 Blue
16-14 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11920	112687	3/16"	Bag of 22	120 Bags
T11918	112685		Bag of 50	
T13725	110945	1/4"	Clamshell of 20	120 Clamshells
T11916	112683		Bag of 22	120 Bags
T11913	112768		Bag of 50	


 Yellow
12-10 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11917	112684	1/4"	Bag of 17	120 Bags
T11914	112769		Bag of 50	


 Assorted
22-16 AWG, 16-14 AWG, 12-10 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T12844	N/A	1/4"	Clamshell of 18 6 Red, 6 Blue, 6 Yellow	120 Clamshells

TERMINALS

FULLY INSULATED FEMALE DISCONNECTS


 Red
22-16 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11938	112777	1/4"	Bag of 11	120 Bags
T11939	112778		Bag of 50	

TERMINALS

FULLY INSULATED FEMALE DISCONNECTS CONTINUED



Blue
16-14 AWG
Nylon

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11957	112697	1/4"	Bag of 14	120 Bags
T11937	112776		Bag of 50	

TERMINALS

WEATHERPROOF HEAT SEAL FEMALE DISCONNECTS



Blue
16-14 AWG
Weatherproof

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T13752	110968	1/4"	Clamshell of 10	120 Clamshells



Yellow
12-10 AWG
Weatherproof

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T13766	110978	1/4"	Clamshell of 7	120 Clamshells

TERMINALS

NON INSULATED FEMALE DISCONNECTS



ITEM#	SKU#	AWG	STUD SIZE	PACK QTY	CASE QTY
T11926	112772	16-14	1/4"	Bag of 100	120 Bags
T11927	112773	12-10		Bag of 26	

TERMINALS

MALE DISCONNECTS



Blue
16-14 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11934	113067	1/4"	Bag of 15	120 Bags
T13749	110965		Clamshell of 20	120 Clamshells

TERMINALS

FULLY INSULATED MALE DISCONNECTS



Blue
16-14 AWG
Nylon

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11936	112775	1/4"	Bag of 50	120 Bags

TERMINALS

MALE & FEMALE DISCONNECT SETS



Assorted
22-18 AWG, 16-14 AWG, 12-10 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T13736	110956	1/4"	Clamshell of 18 2 Red (M), 2 Red (F) 4 Blue (M), 6 Blue (F) 2 Yellow (M), 2 Yellow (F)	120 Clamshells

TERMINALS

FULLY INSULATED MALE & FEMALE DISCONNECT SETS



Red
22-18 AWG
Nylon

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T13757	110973	1/4"	Clamshell of 10 5 Male, 5 Female	120 Clamshells

TERMINALS

FULLY INSULATED MALE & FEMALE DISCONNECT SETS CONTINUED



Blue
16-14 AWG
Nylon

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T13734	110954	1/4"	Clamshell of 10 5 Male, 5 Female	120 Clamshells
T11935	112774		Bag of 50 25 Male, 25 Female	120 Bags



Yellow
12-10 AWG
Nylon

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T13753	110969	1/4"	Clamshell of 10 5 Male, 5 Female	120 Clamshells

TERMINALS

BULLET & RECEPTACLE CONNECTORS SET



Blue
16-14 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T13746	110963	0.157"	Clamshell of 20 10 Bullet, 10 Receptacle	120 Clamshells
T12865	111831		Clamshell of 10 5 Bullet, 5 Receptacle	

TERMINALS

BUTT CONNECTORS



Red
22-18 AWG
PVC

ITEM#	SKU#	PACK QTY	CASE QTY
T13722	110942	Clamshell of 21	120 Clamshells
T11956	112696	Bag of 26	120 Bags
T11952	112692	Bag of 50	

TERMINALS

BUTT CONNECTORS CONTINUED



Blue
16-14 AWG
PVC

ITEM#	SKU#	PACK QTY	CASE QTY
T13723	110943	Clamshell of 21	120 Clamshells
T12835	110937	Clamshell of 100	
T11950	112690	Bag of 50	120 Bags
T11951	112691	Bag of 100	
T11955	112695	Bag of 27	



Yellow
12-10 AWG
PVC

ITEM#	SKU#	PACK QTY	CASE QTY
T13732	110952	Clamshell of 13	120 Clamshells
T12837	110938	Clamshell of 50	
T11954	112694	Bag of 16	120 Bags
T11953	112693	Bag of 50	



Assorted
22-18 AWG, 16-14 AWG, 12-10 AWG
PVC

ITEM#	SKU#	PACK QTY	CASE QTY
T13733	110953	Clamshell of 16 7 Red, 5 Blue, 4 Yellow	120 Clamshells

TERMINALS

WEATHERPROOF HEAT SEAL BUTT CONNECTORS



Red
22-18 AWG
Weatherproof

ITEM#	SKU#	PACK QTY	CASE QTY
T13727	110947	Clamshell of 10	120 Clamshells



Blue
16-14 AWG
Weatherproof

ITEM#	SKU#	PACK QTY	CASE QTY
T13724	110944	Clamshell of 10	120 Clamshells

TERMINALS

HEAT SEAL BUTT CONNECTOR CONTINUED



Yellow
12-10 AWG
Weatherproof

ITEM#	SKU#	PACK QTY	CASE QTY
T13737	110957	Clamshell of 10	120 Clamshells

TERMINALS

PIGGY BACK DISCONNECT



Blue
16-14 AWG
PVC

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11945	112782	1/4"	Bag of 11	120 Bags

TERMINALS

COMPRESSOR TERMINAL



12-10 AWG
Non Insulated

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11922	112771	1/4"	Bag of 19	120 Bags
T11923	112689		Bag of 100	

TERMINALS

TANDEM DISCONNECT ADAPTER



2 Male
1 Female

ITEM#	SKU#	STUD SIZE	PACK QTY	CASE QTY
T11942	112780	1/4"	Bag of 27	120 Bags
T11943	112781		Bag of 100	

TERMINALS

QUICK SPLICE CONNECTOR



Red
22-16 AWG
PVC

ITEM#	SKU#	PACK QTY	CASE QTY
T12862	N/A	Clamshell of 5	10 Clamshells



Blue
18-14 AWG
PVC

ITEM#	SKU#	PACK QTY	CASE QTY
T13728	110948	Clamshell of 7	120 Clamshells
T13731	110951	Clamshell of 25	60 Clamshells



Yellow
12-10 AWG
PVC

ITEM#	SKU#	PACK QTY	CASE QTY
T12863	N/A	Clamshell of 4	10 Clamshells



Assorted
22-16 AWG, 16-14 AWG, 12-10 AWG
PVC

ITEM#	SKU#	PACK QTY	CASE QTY
T13745	110962	Clamshell of 21 6 Red, 12 Blue, 3 Yellow	60 Clamshells

TERMINALS

WEATHERPROOF QUICK SPLICE CONNECTOR



Blue
18-14 AWG
Weatherproof

ITEM#	SKU#	PACK QTY	CASE QTY
T13742	110906	Clamshell of 4	120 Clamshells

HEAT SEAL BUTT CONNECTOR / PIGGY BACK DISCONNECT / COMPRESSOR TERMINAL / DISCONNECT ADAPTER / QUICK SPLICE

TERMINALS

FULLY INSULATED FLAG DISCONNECT



Blue
16-14 AWG
Nylon

ITEM#	SKU#	PACK QTY	CASE QTY
T11940	112779	Bag of 25	120 Bags

TERMINALS

RING LUG



Copper

ITEM#	SKU#	AWG	STUD SIZE	PACK QTY	CASE QTY
T11738	111097	1	3/8"	Clamshell of 1	120 Clamshells
T13726	110946	2		Clamshell of 1	
T13768	110980	6	1/4"	Clamshell of 2	
T13767	110979		3/8"		

TERMINALS

CLOSED END CONNECTOR



Copper/Nylon

ITEM#	SKU#	AWG	PACK QTY	CASE QTY
T11968	112698	18-10	Bag of 50	120 Bags
T11967	113062	22-14		

TERMINALS

TOOLS



ITEM# TL14634
SKU# 112699

Crimps insulated and non-insulated terminals
Features two precision ground wire cutters, one on the nose and one behind the pivot point
Plastic cushion handle
Cut & strip 10-24 gauge wires
Strips standard wire 22-10 gauge
Strips solid wire 18-8 gauge



ITEM# TL13714
SKU# 110983

Self-Adjusting crimping/stripper
Adjustable swivel knob
For non-insulated 22-10 AWG terminals

TERMINALS

TERMINAL KITS



ITEM# CTK-180
SKU# 106531

QTY: 181pcs

Assorted ring terminals, spade terminals, butt connectors, male disconnects, female disconnects and crimping tool

Breakdown:

- 40 Red Ring Terminals 22-18 AWG #10
- 40 Red Ring Terminals 22-18 AWG #6
- 30 Blue Ring Terminals 16-14 AWG #10
- 30 Blue Ring Terminals 16-14 AWG #6
- 20 Yellow Ring Terminals 12-10 AWG #8
- 20 Yellow Ring Terminals 12-10 AWG .25"
- 40 Red Spade Terminals 22-18 AWG #10
- 40 Red Spade Terminals 22-18 AWG #6
- 25 Blue Spade Terminals 16-14 AWG #10
- 25 Blue Spade Terminals 16-14 AWG #6
- 15 Yellow Spade Terminals 12-10 AWG #8
- 15 Yellow Spade Terminals 12-10 AWG .25"
- 35 Red Butt Connectors 22-18 AWG
- 25 Blue Butt Connectors 16-14 AWG
- 15 Yellow Butt Connectors 12-10 AWG
- 40 Red Female Disconnects 22-18 AWG .25"
- 35 Blue Female Disconnects 16-14 AWG .25"
- 20 Yellow Female Disconnects 12-10 AWG .25"

Breakdown:

- 10 Red Ring Terminals 22-18 AWG #6
- 10 Red Ring Terminals 22-18 AWG #8
- 10 Red Ring Terminals 22-18 AWG #10
- 10 Blue Ring Terminals 16-14 AWG #6
- 10 Blue Ring Terminals 16-14 AWG #8
- 10 Blue Ring Terminals 16-14 AWG #10
- 5 Yellow Ring Terminals 12-10 AWG #10
- 10 Red Spade Terminals 22-18 AWG #8
- 10 Red Spade Terminals 22-18 AWG #10
- 10 Blue Spade Terminals 16-14 AWG #8
- 10 Blue Spade Terminals 16-14 AWG #10
- 5 Yellow Spade Terminals 12-10 AWG #10
- 10 Red Butt Connectors 22-18 AWG
- 10 Blue Butt Connectors 16-14 AWG
- 10 Yellow Butt Connectors 12-10 AWG
- 10 Red Male Disconnects 22-18 AWG .25"
- 10 Blue Male Disconnects 16-14 AWG .25"
- 10 Red Female Disconnects 22-18 AWG .25"
- 10 Blue Female Disconnects 16-14 AWG .25"
- 1 8" Crimping tool



ITEM# CTK-510
SKU# 106532

QTY: 510pcs

Assorted ring terminals, spade terminals, butt connectors, male disconnects and female disconnects

WIRE CONNECTORS

STANDARD



Blue

#22 - #14 AWG
Temp. 105°C (221°F)
300 Volt Max.

Min. 2#22 | Max. 3#16
Strip wires 3/8" (9.5mm)
For #16 and smaller wires, strip 1/2" (12.7mm)




Color Coded to industry standards



- UL Listed, CSA Certified
- Temperature Rating: 105°C (221°F) Maximum
- Voltage Rating 600 Volts Maximum building wires. (*300 Volts) 1000 Volts Maximum in signs and lighting fixtures (luminaries).

FOR USE WITH COPPER TO COPPER

- Flame retardant thermoplastic shell provides excellent electrical insulation
- Sure-grip ribs improve gripping ability and comfort
- Fixed, precise square wire spring provides more secure gripping on conductors
- Deep skirt entry provides protection from flashover and shorts
- Threaded, funnel entry guides wires into the connector easily



ITEM#	SKU#	PACK QTY	CASE QTY
CJ-WCB	106521	Jar of 100	20 Jars
WC11962	112715	Bag of 25	120 Bags



Orange

#22 - #14 AWG
Temp. 105°C (221°F)
600 Volt Max.

Min. 1#18 w/1#20 | Max. 4#16 w/1#20
Strip wires 5/16" (7.9mm)
For #16 and smaller wires, strip 3/8" (9.5mm)

ITEM#	SKU#	PACK QTY	CASE QTY
CJ-WCO	106522	Jar of 100	20 Jars
WC11963	112716	Bag of 20	120 Bags
WC13628	110274	Bag of 25	25 Bags



Assorted

ITEM#	SKU#	BREAKDOWN	PACK QTY	CASE QTY
WC12996	110272	3 Gray, 4 Blue, 6 Yellow, 6 Orange, 6 Red	Bag of 25	25 Bags
WC11961	112714	10 Gray, 10 Blue, 15 Orange, 15 Yellow, 5 Red	Bag of 55	120 Bags
T13730	110950	10 Gray, 5 Orange, 3 Yellow	Clamshell of 18	120 Clamshells



Yellow

#22 - #10 AWG
Temp. 105°C (221°F)
600 Volt Max.

Min. 3#20 Sol | Max. 2#12 w/2#14
Strip wires 3/8" (9.5mm)
For #16 and smaller wires, strip 7/16" (11.1mm)

ITEM#	SKU#	PACK QTY	CASE QTY
CJ-WCY	106523	Jar of 100	20 Jars
WC11964	112717	Bag of 22	120 Bags
WC13625	110273	Bag of 25	25 Bags



Red

#22 - #10 AWG
Temp. 105°C (221°F)
600 Volt Max.

Min. 3#18 | Max. 2#10 Sol w/2#12 Str
Strip wires 7/16" (11.1mm)
For #16 and smaller wires, strip 1/2" (12.7mm)

ITEM#	SKU#	PACK QTY	CASE QTY
CJ-WCR	106515	Jar of 50	20 Jars
WC11965	112718	Bag of 15	120 Bags

WIRE CONNECTORS

WINGED

- UL Listed, CSA Certified
- Temperature Rating: 105°C (221°F) Maximum
- Voltage Rating 600 Volts Maximum building wires. (*300 Volts) 1000 Volts Maximum in signs and lighting fixtures (luminaries).

FOR USE WITH COPPER TO COPPER



Swept-back wing design fits into your fingers naturally and provides finger-tip comfort resulting in increased torquing power.



Gray

#18 - #8 AWG
Temp. 105°C (221°F)
600 Volt Max.

Min. 3#14 W/1 #18 | Max. 3#10
Strip wires 3/4" (19.1mm)

ITEM#	SKU#	PACK QTY	CASE QTY
WC11995	112719	Bag of 6	120 Bags

WIRE CONNECTORS

WINGED CONTINUED



Blue

#14 - #6 AWG Min. 2#10 W/1 #12 | Max. 3#8 W/1 #12
 Temp. 105°C (221°F) Strip wires 7/8" (22.2mm)
 600 Volt Max.

ITEM#	SKU#	PACK QTY	CASE QTY
CJ-WWCB	106524	Jar of 25	20 Jars



Assorted

ITEM#	SKU#	BREAKDOWN	PACK QTY	CASE QTY
WC13648	110275	8 Yellow, 7 Tan, 8 Red, 2 Blue	Bag of 25	25 Bags

WIRE

PRIMARY WIRE

Cambridge™ primary wire comes in a wide range of sizes, gauges, and colors. They are available in convenient easy-to-use spools. Cambridge™ primary wire is made from high-quality materials that ensure durability and strength.



12V Stranded



ITEM#	SKU#	AWG	LENGTH Feet	COLOR	CASE QTY
W13790	110990	18	40	Black	24 Blisters
W13795	110993			Red	
W13798	110996	16	100	Black	12 Spools
W13801	110999			Red	
W13789	110989	14	20	Black	24 Blisters
W13794	110992			Red	
W13797	110995	100	100	Black	12 Spools
W13800	110998			Red	
W13796	110994	12	100	Black	12 Spools
W13799	110997			Red	
W13787	110988	10	8	Black	24 Blisters
W13792	110991			Red	

WIRE

HOOK-UP WIRE

Cambridge™ hook-up wire features fine strands of wire which allows it to handle higher voltages. It is resistant to grease, oil, acids, water, solvents and fungus and is most commonly used as internal wiring in appliances and HVAC equipment.



600V Stranded

ITEM#	AWG	LENGTH Feet	STRANDED	COLOR	CASE QTY
200078	8	25	19	Black	12 Bags
200065	10	48			
200067	12				
200066	14				
200070	16		26	19	
200074	10	48			
200068	14				
200072	16				
200069	14		19	26	
200076	10				
200075	12	White			
200071	14				
200077	16	26	19	White	

TAPE

LIQUID TAPE

Cambridge™ Liquid Tape adheres to all metal, plastic, vinyl, rubber, and composite surfaces. It seals loose terminal connections caused by vibration and normal wear, and forms a protective dielectric coating over connections in order to seal out moisture and prevent corrosion. It is great for use on boats, RV's, automotive applications, exposed wiring, lighting fixtures, bilge pumps, timers, and any connection requiring a waterproof seal.



ITEM#	SKU#	SIZE	COLOR	PACK QTY	CASE QTY
ET13710	110911	4oz	Black	1 Blister	12 Blisters

TAPE

ELECTRICAL

Cambridge™ electrical tape provides superior adhesion while insulating and protecting. It is easy to use and is preferred by many industry leaders due to its excellent value, quality and durability. Cambridge™ electrical tape comes in a variety of colors, lengths, and sizes.



Suitable for use at no more than 600 Volts as primary insulation and not more than 80°C (178°F). LR255636

Cambridge™ Electrical Tape products are UL and CSA Certified for consumer confidence, adding peace of mind to safety and quality concerns.



ITEM#	SKU#	LENGTH Feet	WIDTH Inches	COLOR	PACK QTY	CASE QTY
ET12885	110909	20 (EA)	1/2	Red, Blue, Yellow, Green, White	Clamshell of 5	12 Clamshells
CET-0160BLK	109072	60	3/4	Black	Sleeve of 10	24 Sleeves
CET-01BLK	108383	66		Yellow	Sleeve of 6	
CET-01YLW	108389			White		
CET-01WHT	108388			Red		
CET-01RED	108387			Orange		
CET-01ORG	108386			Blue		
CET-01BLU	108384			Green		
CET-01GRN	108385			Brown		
CET-01BRN	108962			Gray		
CET-01GRY	108963			Purple		
CET-01PUR	109001		Black			
ET13709	110910	30		Black		

CONDUIT

FLEXIBLE CONDUIT

Cambridge™ offers weather-proof, flexible, flame resistant (PVC) conduit for weatherproof wiring or outdoor and rooftop equipment.



ITEM#	SKU#	SIZE	LENGTH	MATERIAL	CASE QTY
W14653	112702	1"	100'	PVC	1 Roll
W14654	112703	3/4"			
W14655	112704	1/2"			

CONDUIT

AC ELECTRICAL WHIP KIT



SKU#	LENGTH	WIRE SIZE	CONNECTOR SIZE	CONNECTOR MATERIAL	PACK QTY	CASE QTY
200048	4'	3 x #10	1/2"	Metallic	Bag of 1	6 Bags
200049				Non Metallic		
200050	6'			Metallic		
200051				Non Metallic		
200052	4'	2 x #8, 1 x #10	3/4"	Metallic		
200053				Non Metallic		
200054	6'			Metallic		
200055				Non Metallic		

CONDUIT

LIQUID TIGHT CONNECTOR

PVC

Cambridge™ PVC constructed liquid tight connectors are produced from UV rated material for long outdoor life.



Spec:

- Straight
- Type B
- PVC
- UL

ITEM#	SKU#	SIZE	PACK QTY	CASE QTY
W14658	112707	1/2"	Box of 25	4 Boxes
W14656	112705	3/4"	Box of 10	10 Boxes



Spec:

- 90° Angle
- Type B
- PVC
- UL

ITEM#	SKU#	SIZE	PACK QTY	CASE QTY
W14659	112708	1/2"	Box of 10	10 Boxes
W14657	112706	3/4"		

NYLON

Cambridge™ nylon constructed liquid tight connectors resists salt water, weak acids, gasoline, alcohol, oil, grease, and common solvents.



Spec:

- Straight
- Multi-Piece
- Nylon

ITEM#	SIZE	PACK QTY	CASE QTY
200331	3/8"	Box of 10	10 Boxes
200332	1/2"		
200333	3/4"		
200334	1"	Box of 5	5 Boxes
200335	1 1/4"		
200336	1 1/2"	Box of 2	5 Boxes
200337	2"		



Spec:

- 90° Angle
- Multi-Piece
- Nylon

ITEM#	SIZE	PACK QTY	CASE QTY Total Packs
200338	3/8"	Box of 10	10 Boxes
200339	1/2"		
200340	3/4"		
200341	1"	Box of 5	5 Boxes
200342	1 1/4"		
200343	1 1/2"	Box of 2	5 Boxes
200344	2"		

CONDUIT

NIPPLE CONNECTOR



ITEM#	SKU#	SIZE	STYLE	PACK QTY	CASE QTY
W14646	113068	1/2"	Offset	Bag of 2	60 Bags

CONDUIT

CLAMP SERVICE CONNECTOR



Spec:

- Zinc die cast

ITEM#	SKU#	SIZE	USE WITH	KNOCKOUT SIZE	PACK QTY	CASE QTY
200204	200204	3/8"	14/2 14/3 12/2	1/2"	Bag of 50	10 Bags
T14590	112785		NM		Bag of 8	120 Bags
T14588	112783				Bag of 25	48 Bags
T14589	112784	3/4"		3/4"	Bag of 4	120 Bags

CONDUIT

FLEX CONNECTOR

Spec:

- 90° Angle
- Use with 14/2 14/3 12/2
- Zinc die cast



ITEM#	SKU#	SIZE	KNOCKOUT SIZE	PACK QTY	CASE QTY
200203	200203	3/8"	1/2"	Bag of 50	10 Bags
T14591	113063			Bag of 3	120 Bags

Spec:

- Clamp
- NM / SE
- NM / Combination
- Zinc die cast



ITEM#	SKU#	SIZE	KNOCKOUT SIZE	PACK QTY	CASE QTY
200185	200185	3/4"	3/4"	Bag of 50	10 Bags
200186	200186	1"	1"	Bag of 25	
T14672	112786	Trade Size: 3/8"	1/2"	Bag of 7	72 Bags

CONDUIT

STRAPS

Spec:

- EMT
- Steel



ITEM#	SKU#	SIZE	STYLE	PACK QTY	CASE QTY	
CL14641	113060	1/2"	1 Hole	Bag of 20	120 Bags	
200190	200190			Bag of 100	10 Bags	
CL14640	113059	3/4"		Bag of 12	120 Bags	
200189	200189			Bag of 100	5 Bags	
200191	200191	1"		Bag of 50	10 Bags	
200192	200192	1 1/4"		Bag of 20	5 Bags	
200193	200193	1 1/2"			1 Bag	
200198	200198	1/2"		2 Hole	Bag of 50	10 Bags
200199	200199	3/4"				
200200	200200	1 1/4"				
200201	200201	1 1/2"			1 Bag	
200202	200202	2"	Bag of 25			

Spec:

- Rigid



ITEM#	SIZE	STYLE	PACK QTY	CASE QTY
200196	3/4"	1 Hole	Bag of 50	10 Bags
200197	1"			1 Bag

CONDUIT

LOCK NUT



Spec:

- Zinc plated steel

ITEM#	SKU#	SIZE	PACK QTY	CASE QTY
W14664	112713	1/2"	Bag of 10	100 Bags

BOXES & COVERS

JUNCTION BOX



Cambridge™ offers a variety of steel boxes used for convenience outlets, switch boxes and small junction boxes. Cambridge™ also provides a selection of emergency and steel covers for any application.

ITEM#	SKU#	DESCRIPTION	SIZE	STYLE	PACK QTY	CASE QTY
SW14622	112755	Utility Box	Single Gang	1/2" Knockouts	Box of 10	5 Boxes
SW14621	112889	Switch Box				
SW14625	112756	Receptacle Box	4"	1/2" & 3/4" Knockouts		4 Boxes
SW14626	112757		4" Octagonal			5 Boxes
SW14624	112890		4"			4 Boxes
SW14627	113061	Weatherproof Receptacle Box	4 1/2"	1/2" Knockouts	Bag of 1	20 Bags

BOXES & COVERS

EMERGENCY COVER



Spec:

- ON/OFF
- Red with white letters
- Emergency Switch

ITEM#	SKU#	SIZE	STYLE	PACK QTY	CASE QTY
SW14673	112759	2 3/8" x 4 1/4"	Gas Burner	Bag of 1	120 Bags
SW14721	112913	2 3/4" x 4 1/2"			
SW14676	112762	4" x 4"			
SW14675	112761	2 3/8" x 4 1/4"	Oil Burner		
SW14722	112914	2 3/4" x 4 1/2"			
SW14674	112760	4" x 4"			

CONDUIT STRAP / LOCK NUT / JUNCTION BOX / EMERGENCY COVER

BOXES & COVERS
STEEL COVER


ITEM#	SKU#	DESCRIPTION	SIZE	STYLE	PACK QTY	CASE QTY
SW14613	112750	Switch	4" x 4"	Single Toggle	Bag of 1	120 Bags
SW14668	112672	Switch	Single Gang	Single Toggle		
SW14614	112751	Receptacle	4" x 4"	Single		
SW14615	112752	Receptacle	Single Gang	Single		
SW14617	112888	Receptacle	Single Gang	Duplex		
SW14618	112912	Receptacle	4" x 4"	Duplex		
SW14616	112753	Receptacle & Switch	4" x 4"	Single, Toggle		
SW14619	112754	Receptacle & Switch	4" x 4"	Duplex, Toggle		
SW14628	112758	Utility Box	Single Gang	Weatherproof		
SW14667	112671	Utility Box	Single Gang	Blank		
SW14612	112887	Blank Box	4" x 4"	Flat		100 Bags
						120 Bags

ELECTRICAL
SWITCHES

Spec:

- 15 AMP / 250 VAC
- 20 AMP / 125 VAC

ITEM#	SKU#	DESCRIPTION	PACK QTY	CASE QTY
SW14596	112746	Metal toggle switch (ON-OFF) SPST	Bag of 1	120 Bags

ELECTRICAL
POWER SUPPLY CORD

Spec:

- 16/3
- 110 V
- 6'

ITEM#	SKU#	PLUG STYLE	PACK QTY	CASE QTY
W14643	112701	90°	Bag of 1	120 Bags
W14642	112787	Straight		

ELECTRICAL
RECEPTACLES

Spec:

- 2 Pole 3 wire receptacle

ITEM#	SKU#	STYLE	AMP	VAC	PACK QTY	CASE QTY
SW14598	112747	Duplex	20	125	Bag of 1	120 Bags
SW14599	112748		15			
SW14601	112749	Single	20	250		

GAUGES

GAS TEST GAUGE



ITEM#	NPT SIZE	DIAL SIZE	PSI	STYLE	PACK QTY	CASE QTY
200368	1/2"	2"	0-15	Horizontal	Box of 1	20 Boxes
200369				Bell		
200370	3/4"	2"		Horizontal		
200371				Bell		
200372	1/2"	2"	0-30	Horizontal		
200373	3/4"			Horizontal		
200396				Horizontal		

COUPLINGS

FLEXIBLE COUPLING



Cambridge™ flexible couplings are designed for above ground and underground applications. Because of their positive seal and leak proof attributes, they are used with drain, waste and vent piping. These couplings are resistant to chemicals and sewer gases and are unaffected by soil conditions. Gaskets are made with an elastomeric PVC material. Their design conforms to ASTM C1173.

ITEM#	SIZE	CASE QTY
200376	2" x 2"	100 Pieces
200358	3/4" x 3/4"	100 Pieces
200359	3" x 3"	50 Pieces

GAUGES

TRIDICATOR BOILER GAUGE



ITEM#	NPT SIZE	DIAL SIZE	PSI	TEMPERATURE	PACK QTY	CASE QTY
200420	1/4"	2.75"	0-70	60°F - 320°F	Box of 1	20 Boxes

PIPE HANGING

J HOOK



Cambridge™ pipe hangers are designed to support drain, waste, and vent piping from rafters and joists. They allow for secure contraction and expansion of the piping system.

Spec:

- Two ring-shank nails for secure installation
- Made of high impact corrosion-proof ABS resin
- Use on all Schedule 30 and 40 piping
- Use with copper, PEX, CPVC, and other CTS/DWV sized piping

PVC TUBING

CLEAR VINYL TUBING



Cambridge™ clear vinyl tubing is used for a variety of applications such as food, beverage, air and liquid distribution. It is FDA and NSF-51 compliant.

ITEM#	SIZE	LENGTH	CASE QTY
200042	3/8"	100'	1 Roll

ITEM#	SKU#	SIZE	INNER QTY	CASE QTY
PH-J50T	108575	1/2"	Bag of 10	5 Bags
PH-J75T	108576	3/4"		
PH-J100T	108569	1"		
PH-J125T	108570	1 1/4"		
PH-J150T	108571	1 1/2"		
PH-J200T	108572	2"		
PH-J300T	108573	3"		
PH-J400T	108574	4"		

CONDENSATE TRAP


P-TRAP



Cambridge™ p-traps are great for drainage. They are designed to meet most residential, agricultural and industrial needs.

ITEM#	SIZE	MATERIAL	CASE QTY
200243	3/4" Slip x Slip	PVC	50 Pieces

A	B	C	D
1/2"	5.3"	6"	0.6"
3/4"	5.7"	6.5"	0.6"
1"	6.4"	7.3"	0.8"
1-1/4"	6.5"	7.7"	0.8"
1-1/2"	8.6"	10"	1"
2"	8.6"	10.5"	1"
3"	10"	12.5"	1"
4"	10"	13"	1"



GAS TEST GAUGE / TRIDICATOR BOILER GAUGE / CLEAR VINYL TUBING / P-TRAP / FLEXIBLE COUPLING / J HOOK

PIPE HANGING

STANDARD CLAMP




Spec:

- Used to secure CTS piping in residential and commercial applications support
- Split design allows for use after piping has been installed
- Ribs allow pipe to glide easily and silently when expanding and contracting

ITEM#	SKU#	SIZE	INNER QTY	CASE QTY
PH-STDC50K	108586	1/2"	Box of 50	18 Boxes
PH-STDC75K	108587	3/4"		6 Boxes

A	B	C	D	E
1/2"	2.1"	1.5"	0.7"	0.9"
3/4"	2.4"	1.6"	0.7"	1.2"



PIPE HANGING

HALF CLAMP




Spec:

- Equipped with pre-loaded nail
- Can be used on all types of CTS piping


ITEM#	SKU#	SIZE	INNER QTY	CASE QTY
PH-HC50K	108567	1/2"	Box of 50	18 Boxes
PH-HC75K	108568	3/4"		

A	B	C	D	E
1/2"	0.8"	1"	0.4"	1.5"
3/4"	1.1"	1.3"	0.4"	2"



PIPE HANGING

SUSPENSION CLAMP



Spec:

- Used to secure CTS piping in residential and commercial applications support
- Split design allows for use after piping has been installed
- Ribs allow pipe to glide easily and silently when expanding and contracting

ITEM#	SKU#	SIZE	INNER QTY	CASE QTY
PH-SUSC50K	108588	1/2"	Box of 50	6 Boxes
PH-SUSC75K	108589	3/4"		

PIPE HANGING

PIPE HANGER

Cambridge™ pipe hangers are made of galvanized steel and have a keyhole design which allows for faster installations.

Spec:

- Vinyl covered galvanized steel



ITEM#	SIZE	CASE QTY
200005	2" x 12"	50 Pieces
200006	3" x 12"	25 Pieces

Spec:

- Galvanized steel



ITEM#	SKU#	SIZE	CASE QTY
PH-PH150C	108577	1 1/2"	100 Pieces
PH-PH200K	108578	2"	50 Pieces
PH-PH300X	108579	3"	25 Pieces
PH-PH400X	108580	4"	

PIPE HANGING

TOP BEAM CLAMP



Spec:

- Includes locknut

ITEM#	SIZE	CASE QTY
200389	3/8"	100 Pieces

PIPE HANGING

HOOK HANGER



Spec:

- Copper-plated steel
- Secure copper-plated, PVC, CPVC, galvanized, or PEX piping
- Self-nailing allows for easy and secure installation
- 6" hang

ITEM#	SKU#	SIZE	INNER QTY	CASE QTY
PH-CPH506K	108565	1/2"	Box of 50	9 Boxes
PH-CPH756K	108566	3/4"		
PH-CPH1006K	108564	1"		

PIPE HANGING

BELL HANGER



Spec:

- Copper-plated steel
- Equipped with two clamp screws and one mounting screw
- 13/16" support standoff

ITEM#	SKU#	SIZE	INNER QTY	CASE QTY
PH-CBH50X	108562	1/2"	Box of 25	9 Boxes
PH-CBH75X	108563	3/4"		
PH-CBH100X	108561	1"		

PIPE HANGING

2-HOLE PIPE STRAP



Spec:

- Made of copper plated steel
- Used to secure copper piping
- Offers strong support

ITEM#	SKU#	SIZE	INNER QTY	CASE QTY
PH-PS50C	108582	1/2"	Box of 100	9 Boxes
PH-PS75C	108583	3/4"		
PH-PS100K	108581	1"	Box of 50	

Spec:

- Made of galvanized steel
- IPS Clamps
- Used to secure schedule 40, steel and PVC pipe
- Offers strong support



ITEM#	SIZE	INNER QTY	CASE QTY
200271	1/2"	Bag of 10	10 Bags
200272	3/4"		
200273	1"		
200274	1 1/4"		
200275	1 1/2"		
200276	2"		

PIPE HANGING

STUD GUARD



Spec:

- 100% steel

ITEM#	SKU#	SIZE	INNER QTY	CASE QTY
PH-SG1503C	108584	1 1/2" x 3"	Box of 100	4 Boxes
PH-SG1505C	108771	1 1/2" x 5"		2 Boxes
PH-SG1509C	108585	1 1/2" x 9"		

PIPE HANGING

BOCA PLATE



Spec:

- Meets BOCA code 309.2 requirements
- Stud joist reinforcement

ITEM#	SKU#	SIZE	INNER QTY	CASE QTY
PH-BPX	108560	5" x 8"	Box of 25	2 Boxes

ACR COPPER FITTINGS

Cambridge™ ACR copper fittings are rugged and highly resistant to corrosion. They are used as refrigerant lines in HVAC systems and to supply hot and cold water. Their smooth interior helps keep water flowing without resistance while preventing particles from building up and clogging.

ACR COPPER FITTINGS

ACR COUPLINGS WITH STOP



Spec:

- C x C

ITEM#	O.D.	I.D.	PACK QTY	CASE QTY
200235	1/4"	1/8"	Bag of 25	100 Bags
200140	3/8"	1/4"		
200236	1/2"	3/8"		
200244	5/8"	1/2"		
200141	3/4"	5/8"		
200230	7/8"	3/4"		
200245	1 1/8"	1"	Bag of 10	20 Bags
200314	1 3/8"	1 1/4"		10 Bags

ACR COPPER FITTINGS

ACR COUPLINGS NO STOP



Spec:

- C x C

ITEM#	O.D.	I.D.	PACK QTY	CASE QTY
200254	7/8"	3/4"	Bag of 10	30 Bags

ACR COPPER FITTINGS

ACR REDUCING COUPLINGS



Spec:

- C x C

ITEM#	O.D.	I.D.	PACK QTY	CASE QTY
200330	5/8" x 1/2"	1/2" x 3/8"	Bag of 25	50 Bags
200255	3/4" x 5/8"	5/8" x 1/2"		20 Bags
200249	7/8" x 3/4"	3/4" x 5/8"		10 Bags

ACR COPPER FITTINGS

ACR 45° ELBOWS



Spec:

- C x C
- 45°

ITEM#	O.D.	I.D.	PACK QTY	CASE QTY
200142	3/4"	5/8"	Bag of 25	10 Bags
200143	7/8"	3/4"		
200312	1 1/8"	1"	Bag of 10	5 Bags
200313	1 3/8"	1 1/4"		

ACR COPPER FITTINGS

ACR 45° STREET ELBOWS



Spec:

- FTG x C
- 45°

ITEM#	O.D.	I.D.	PACK QTY	CASE QTY
200250	3/4"	5/8"	Bag of 25	10 Bags
200237	7/8"	3/4"		

ACR COPPER FITTINGS

ACR 90° ELBOWS



Spec:

- C x C
- 90°

ITEM#	O.D.	I.D.	PACK QTY	CASE QTY
200231	5/8"	1/2"	Bag of 25	30 Bags
200317	3/4"	5/8"		20 Bags
200145	1 1/8"	1"	Bag of 10	10 Bags
200256	1 3/8"	1 1/4"		5 Bags

ACR COPPER FITTINGS

ACR 90° STREET ELBOWS



Spec:

- FTG x C
- 90°

ITEM#	O.D.	I.D.	PACK QTY	CASE QTY
200345	7/8"	3/4"	Bag of 10	30 Bags
200346	1 1/8"	1"		10 Bags

ACR COPPER FITTINGS

ACR 90° LONG TURN ELBOWS



Spec:

- C x C
- 90°

ITEM#	O.D.	I.D.	PACK QTY	CASE QTY
200251	1/2"	3/8"	Bag of 25	40 Bags
200247	5/8"	1/2"		20 Bags
200248	3/4"	5/8"		10 Bags
200144	7/8"	3/4"	Bag of 10	5 Bags
200232	1 1/8"	1"		
200238	1 3/8"	1 1/4"		

ACR COPPER FITTINGS

ACR 90° LONG TURN STREET ELBOWS



Spec:

- FTG x C
- 90°

ITEM#	O.D.	I.D.	PACK QTY	CASE QTY
200252	3/8"	1/4"	Bag of 25	60 Bags
200233	5/8"	1/2"		20 Bags
200253	3/4"	5/8"		10 Bags
200234	7/8"	3/4"	Bag of 10	


GAS CONNECTORS



REFERENCE NUMBER KEY



EXAMPLE: **C-GCY-581234MF-12**



Cambridge™ gas connectors can be ordered in any combination of O.D. size, fitting sizes and styles, lengths and with or without coating/valves. If you do not see your specific one listed in the catalog please call our customer service line to request it. Lead times may apply.

GAS CONNECTOR SIZE REFERENCE CHART

GAS BTU RATING	Straight Length Capacity-Btu Per Hr using:0.64Sp Gr, 1000 Btu Per Cu Ft(37.5MJ Per Cu Meter) Gas at 0.5 inch Water Column(124 Pa) Pressure Drop. The capacity at 50 Pa (0.2 inch water column) pressure drop can be determined by multiplying the BTU per hr. listed in the table below by 0.632							
	12"	18"	24"	30"	36"	48"	60"	72"
1" OD (3/4" ID)			290,000	270,500	255,900	215,000	197,400	173,900
5/8" OD (1/2" ID)	180,000	164,200	150,000	136,000	125,000	106,000	93,200	86,000
1/2" OD (3/8" ID)	102,000	93,100	85,000	77,100	71,100	60,500	53,200	49,100
3/8" OD (1/4" ID)	48,000	43,600	40,000	36,400	33,400	28,300	24,900	23,100

Coating

Y: Yellow
B: Black

O.D.

10: 1" (3/4" ID)
58: 5/8" (1/2" ID)
12: 1/2" (3/8" ID)
38: 3/8" (1/4" ID)

FITTING SIZE

10: 1"
34: 3/4"
12: 1/2"
38: 3/8"

FITTING TYPE

M: MIP
F: FIP

LENGTH

12"
18"
24"
30"
36"
48"
60"
72"

GAS CONNECTORS

STANDARD



Cambridge™ standard gas connectors are composed of corrosion-resistant 304 stainless steel which provides extra strength while maintaining flexibility. They feature a flared-end fitting for secure metal-to-metal sealing and are ideal for both indoor and outdoor use. They are CSA and UL Certified for use with natural gas. Cambridge™ standard gas connectors are great for use with kitchen appliances, gas ranges, and hot water heaters.

Spec:

- Corrosion-resistant 304 stainless steel
- Flared end fitting
- Indoor and outdoor use
- CSA and UL certified for use with natural gas

If you do not see a size you need listed please contact our sales team. We can customize any part. Lead times may apply.

SKU#	ITEM#	LENGTH	CASE QTY <small>Total Packs</small>
3/8" OD (1/4" ID) 3/8" MALE - 3/8" FEMALE			
200092	C-GC-383838MF-12	12"	25 Pieces
200093	C-GC-383838MF-18	18"	
112898	C-GC-383838MF-24	24"	
112899	C-GC-383838MF-30	30"	
112900	C-GC-383838MF-36	36"	
112901	C-GC-383838MF-48	48"	
112902	C-GC-383838MF-60	60"	
112903	C-GC-383838MF-72	72"	
3/8" OD (1/4" ID) 3/8" MALE - 1/2" FEMALE			
112318	C-GC-383812MF-12	12"	25 Pieces
112319	C-GC-383812MF-18	18"	
112320	C-GC-383812MF-24	24"	
112321	C-GC-383812MF-36	36"	
112322	C-GC-383812MF-48	48"	
112323	C-GC-383812MF-60	60"	
3/8" OD (1/4" ID) 1/2" MALE - 1/2" MALE			
200094	C-GC-381212MM-24	24"	25 Pieces
1/2" OD (3/8" ID) 3/8" MALE - 3/8" FEMALE			
111914	C-GC-123838MF-24	24"	25 Pieces
111915	C-GC-123838MF-36	36"	
1/2" OD (3/8" ID) 1/2" MALE - 1/2" MALE			
N/A	C-GC-121212MM-12*	12"	25 Pieces
N/A	C-GC-121212MM-18*	18"	
109841	C-GC-121212MM-24	24"	

*May require extended lead times

SKU#	ITEM#	LENGTH	CASE QTY
1/2" OD (3/8" ID) 1/2" MALE - 1/2" MALE <i>CONTINUED</i>			
N/A	C-GC-121212MM-30*	30"	25 Pieces
200351	C-GC-121212MM-36*	36"	
111725	C-GC-121212MM-48*	48"	
1/2" OD (3/8" ID) 1/2" FEMALE - 1/2" FEMALE			
N/A	C-GC-121212FF-18*	18"	25 Pieces
N/A	C-GC-121212FF-24*	24"	
110134	C-GC-121212FF-36	36"	
1/2" OD (3/8" ID) 1/2" MALE - 1/2" FEMALE			
112316	C-GC-121212MF-12*	12"	25 Pieces
111641	C-GC-121212MF-18*	18"	
111642	C-GC-121212MF-24*	24"	
112897	C-GC-121212MF-30*	30"	
111643	C-GC-121212MF-36*	36"	
111644	C-GC-121212MF-48*	48"	
112317	C-GC-121212MF-60	60"	
1/2" OD (3/8" ID) 1/2" FEMALE - 1/2" FEMALE WITH GAS SHUT OFF VALVE			
200377	C-GC-121212FF-48V	48"	25 Pieces
1/2" OD (3/8" ID) 1/2" MALE - 1/2" FEMALE WITH GAS SHUT OFF VALVE			
109724	C-GC-121212MF-12V	12"	25 Pieces
109725	C-GC-121212MF-18V*	18"	
109839	C-GC-121212MF-24V*	24"	
109726	C-GC-121212MF-30V	30"	
109840	C-GC-121212MF-36V*	36"	
109727	C-GC-121212MF-48V	48"	
5/8" OD (1/2" ID) 1/2" MALE - 1/2" MALE			
110025	C-GC-581212MM-12*	12"	25 Pieces
109596	C-GC-581212MM-18	18"	
109015	C-GC-581212MM-24	24"	
109016	C-GC-581212MM-36	36"	
109017	C-GC-581212MM-48	48"	
109597	C-GC-581212MM-60	60"	
114231	C-GC-581212MM-72	72"	
5/8" OD (1/2" ID) 1/2" FEMALE - 1/2" FEMALE			
114224	C-GC-581212FF-12*	12"	25 Pieces
112481	C-GC-581212FF-18*	18"	
109073	C-GC-581212FF-24	24"	
109074	C-GC-581212FF-36	36"	
109075	C-GC-581212FF-48	48"	
N/A	C-GC-581212FF-60*	60"	

*May require extended lead times

STANDARD GAS CONNECTORS

GAS CONNECTORS

STANDARD

CONTINUED



Spec:

- Corrosion-resistant 304 stainless steel
- Flared end fitting
- Indoor and outdoor use
- CSA and UL certified for use with natural gas

If you do not see a size you need listed please contact our sales team. We can customize any part. Lead times may apply.

SKU#	ITEM#	LENGTH	CASE QTY
5/8" OD (1/2" ID) 1/2" MALE - 1/2" FEMALE			
109829	C-GC-581212MF-12	12"	25 Pieces
109674	C-GC-581212MF-18	18"	
109675	C-GC-581212MF-24	24"	
112904	C-GC-581212MF-30	30"	
109676	C-GC-581212MF-36	36"	
109677	C-GC-581212MF-48	48"	
109678	C-GC-581212MF-60	60"	

SKU#	ITEM#	LENGTH	CASE QTY
5/8" OD (1/2" ID) 1/2" MALE - 1/2" FEMALE WITH GAS SHUT OFF VALVE			
111076	C-GC-581212MF-12V*	12"	25 Pieces
109013	C-GC-581212MF-18V	18"	
109014	C-GC-581212MF-24V	24"	
109022	C-GC-581212MF-36V	36"	
109728	C-GC-581212MF-48V	48"	
200138	C-GC-581212MF-60V*	60"	

SKU#	ITEM#	LENGTH	CASE QTY
5/8" OD (1/2" ID) 1/2" MALE - 3/4" MALE			
109842	C-GC-581234MM-24	24"	25 Pieces
109843	C-GC-581234MM-36	36"	

SKU#	ITEM#	LENGTH	CASE QTY
5/8" OD (1/2" ID) 1/2" MALE - 3/4" FEMALE			
111916	C-GC-581234MF-60	60"	25 Pieces

SKU#	ITEM#	LENGTH	CASE QTY
5/8" OD (1/2" ID) 1/2" MALE - 3/4" FEMALE WITH GAS SHUT OFF VALVE			
109018	C-GC-581234MF-30V	30"	25 Pieces
109019	C-GC-581234MF-36V	36"	

SKU#	ITEM#	LENGTH	CASE QTY
5/8" OD (1/2" ID) 3/4" MALE - 3/4" FEMALE			
112324	C-GC-583434MF-12	12"	25 Pieces
112325	C-GC-583434MF-18	18"	
112326	C-GC-583434MF-24	24"	
112327	C-GC-583434MF-36	36"	
112328	C-GC-583434MF-48	48"	

*May require extended lead times

SKU#	ITEM#	LENGTH	CASE QTY
5/8" OD (1/2" ID) 3/4" MALE - 3/4" FEMALE <i>CONTINUED</i>			
112329	C-GC-583434MF-60	60"	25 Pieces
112905	C-GC-583434MF-72	72"	

SKU#	ITEM#	LENGTH	CASE QTY
5/8" OD (1/2" ID) 3/4" MALE - 3/4" FEMALE WITH GAS SHUT OFF VALVE			
109729	C-GC-583434MF-18V	18"	25 Pieces
109730	C-GC-583434MF-24V	24"	
109731	C-GC-583434MF-36V	36"	

SKU#	ITEM#	LENGTH	CASE QTY
1" OD (3/4" ID) 3/4" MALE - 3/4" MALE			
109828	C-GC-103434MM-18	18"	10 Pieces

SKU#	ITEM#	LENGTH	CASE QTY
1" OD (3/4" ID) 3/4" MALE - 3/4" FEMALE			
200032	C-GC-103434MF-24*	24"	10 Pieces
200033	C-GC-103434MF-30*	30"	
200034	C-GC-103434MF-36*	36"	
200035	C-GC-103434MF-48*	48"	

*May require extended lead times

APPLICATIONS

Indoor	Outdoor	Manufactured Home
Gas Ranges, Water Heaters, Tankless Water Heaters, Wall Heaters, Dryers, Gas Fireplaces, Furnaces, Garage Heaters	Stationary Outdoor Grills Gas Fire Pits Outdoor Dryers Rooftop Units	Mobile Home Gas Meters Cross-over Gas Connection Kits
CSA Design Certified to ANSI Z21.24/CSA 6.10, Cambridge™ Gas Connectors are durable and reliable. Their flexibility makes them easy to install, especially in tight spaces. Use Cambridge™ Gas Connectors for all residential gas appliances knowing their design focuses on safety and peace of mind.	CSA Design Certified to ANSI Z21.75/CSA 6.27, Cambridge™ Gas Connectors are perfect for outdoor installation of fixed appliances.	CSA Design Certified to ANSI Z21.75/CSA 6.27, Cambridge™ Gas Connectors are ideal for use in Park Trailers and Manufactured (Mobile) Homes. High BTU capacity enables proper gas flow.

FEATURES	BENEFITS
304 Stainless Steel Markings stamped on nut Annealed steel construction MIP fittings tapped female for next smaller size CSA design certified for indoor/outdoor use with natural, manufactured, mixed, liquified, petroleum (LP), and LP-gas air mixtures	Durable, reliable, corrosion-resistant design Eliminates unnecessary vibration Provides added strength and flexibility; reduces stress corrosion cracking risks Creates a metal to metal seal assuring critical application integrity and consistency Quality, safety, peace of mind

STANDARD GAS CONNECTOR DESIGN complies with the following standards:
 ANSI Z21.24-2006/CSA 6.10-2006 Connectors for Gas Appliances
 ANSI Z21.24a-2009/CSA 6.10a-2009 Addenda A to Connectors for Gas Appliances
 ANSI Z21.75-2007/CSA 6.27-2007 Connectors for Outdoor Gas Appliances and Manufactured Homes
 ANSI Z21.75a-2009/CSA 6.27a-2009 Addenda A to Connectors for Outdoor Appliances and Manufactured Homes

GAS CONNECTORS



YELLOW COATED



Cambridge™ yellow coated gas connectors are composed of the same material as our uncoated gas connectors (corrosion-resistant 304 stainless steel) but include an industry-standard yellow coating for added corrosion protection and easy gas line identification. The coating is consistent along the entire length of the connector hose, providing complete coverage and protection from chemical and/or weather-based corrosion. They are UL and CSA certified. All other features, benefits and applications are the same as Cambridge™ standard gas connectors.

Spec:

- Corrosion-resistant 304 stainless steel
- Flared end fitting
- Added corrosion protection and easy gas line identification
- Indoor and outdoor use
- CSA and UL certified for use with natural gas

If you do not see a size you need listed please contact our sales team. We can customize any part. Lead times may apply.

SKU#	ITEM#	LENGTH	CASE QTY
3/8" OD (1/4" ID) 3/8" MALE - 3/8" FEMALE			
200095	C-GCY-383838MF-36	36"	25 Pieces
3/8" OD (1/4" ID) 3/8" MALE - 1/2" FEMALE WITH GAS SHUT OFF VALVE			
200096	C-GCY-383812MF-24V	24"	25 Pieces
1/2" OD (3/8" ID) 1/2" MALE - 1/2" FEMALE			
112330	C-GCY-121212MF-12	12"	25 Pieces
109033	C-GCY-121212MF-18	18"	
109034	C-GCY-121212MF-20	20"	
109035	C-GCY-121212MF-24	24"	
109036	C-GCY-121212MF-36	36"	
112331	C-GCY-121212MF-48	48"	
112332	C-GCY-121212MF-60	60"	
1/2" OD (3/8" ID) 1/2" MALE - 1/2" FEMALE WITH GAS SHUT OFF VALVE			
200310	C-GCY-121212MF-12V	12"	25 Pieces
112933	C-GCY-121212MF-18V	18"	
111635	C-GCY-121212MF-24V	24"	
111636	C-GCY-121212MF-36V	36"	
200311	C-GCY-121212MF-48V	48"	
5/8" OD (1/2" ID) 1/2" MALE - 1/2" MALE			
109599	C-GCY-581212MM-12	12"	25 Pieces
109037	C-GCY-581212MM-18	18"	
109038	C-GCY-581212MM-24	24"	
109039	C-GCY-581212MM-30	30"	

*May require extended lead times

SKU#	ITEM#	LENGTH	CASE QTY
5/8" OD (1/2" ID) 1/2" MALE - 1/2" MALE CONTINUED			
109023	C-GCY-581212MM-36	36"	25 Pieces
109024	C-GCY-581212MM-48	48"	
109040	C-GCY-581212MM-60	60"	
5/8" OD (1/2" ID) 1/2" FEMALE - 1/2" FEMALE			
112482	C-GCY-581212FF-60	60"	25 Pieces
5/8" OD (1/2" ID) 1/2" MALE - 1/2" FEMALE			
111645	C-GCY-581212MF-12*	12"	25 Pieces
111639	C-GCY-581212MF-18*	18"	
110038	C-GCY-581212MF-24*	24"	
N/A	C-GCY-581212MF-30*	30"	
110039	C-GCY-581212MF-36	36"	
110040	C-GCY-581212MF-48*	48"	
N/A	C-GCY-581212MF-60*	60"	
5/8" OD (1/2" ID) 1/2" MALE - 1/2" FEMALE WITH GAS SHUT OFF VALVE			
110178	C-GCY-581212MF-12V	12"	25 Pieces
110179	C-GCY-581212MF-18V	18"	
109742	C-GCY-581212MF-24V	24"	
110180	C-GCY-581212MF-30V	30"	
109743	C-GCY-581212MF-36V	36"	
110181	C-GCY-581212MF-48V	48"	
N/A	C-GCY-581212MF-60V	60"	
5/8" OD (1/2" ID) 1/2" MALE - 3/4" MALE			
112483	C-GCY-581234MM-36	36"	25 Pieces
5/8" OD (1/2" ID) 1/2" MALE - 3/4" FEMALE			
N/A	C-GCY-581234MF-24	24"	25 Pieces
N/A	C-GCY-581234MF-36	36"	
N/A	C-GCY-581234MF-48	48"	
5/8" OD (1/2" ID) 1/2" MALE - 3/4" FEMALE WITH GAS SHUT OFF VALVE			
110234	C-GCY-581234MF-18V*	18"	25 Pieces
110235	C-GCY-581234MF-24V*	24"	
110236	C-GCY-581234MF-30V*	30"	
110237	C-GCY-581234MF-36V*	36"	
N/A	C-GCY-581234MF-48V*	48"	
5/8" OD (1/2" ID) 3/4" MALE - 3/4" MALE			
112487	C-GCY-583434MM-24	24"	25 Pieces
112488	C-GCY-583434MM-48	48"	

*May require extended lead times

GAS CONNECTORS

YELLOW COATED CONTINUED



Spec:

- Corrosion-resistant 304 stainless steel
- Flared end fitting
- Added corrosion protection and easy gas line identification
- Indoor and outdoor use
- CSA and UL certified for use with natural gas

If you do not see a size you need listed please contact our sales team. We can customize any part. Lead times may apply.

SKU#	ITEM#	LENGTH	CASE QTY
5/8" OD (1/2" ID) 3/4" FEMALE - 3/4" FEMALE			
112484	C-GCY-583434FF-24	24"	25 Pieces
112485	C-GCY-583434FF-36	36"	
112486	C-GCY-583434FF-48	48"	
5/8" OD (1/2" ID) 3/4" MALE - 3/4" FEMALE WITH GAS SHUT OFF VALVE			
109744	C-GCY-583434MF-24V	24"	25 Pieces
110182	C-GCY-583434MF-36V	36"	
113053	C-GCY-583434MF-48V	48"	
1" OD (3/4" ID) 3/4" MALE - 3/4" MALE			
111952	C-GCY-103434MM-18	18"	10 Pieces
113820	C-GCY-103434MM-36	36"	
1" OD (3/4" ID) 3/4" MALE - 3/4" FEMALE			
109737	C-GCY-103434MF-24	24"	10 Pieces
109738	C-GCY-103434MF-36	36"	
112379	C-GCY-103434MF-48	48"	
112380	C-GCY-103434MF-60	60"	
1" OD (3/4" ID) 3/4" MALE - 3/4" FEMALE WITH GAS SHUT OFF VALVE			
N/A	C-GCY-103434MF-24V*	24"	10 Pieces
111514	C-GCY-103434MF-36V*	36"	

*May require extended lead times

GAS CONNECTORS

BLACK COATED



CONSTRUCTION

HOME IMPROVEMENT

HVAC



Cambridge™ black coated gas connectors are composed of the same material as our uncoated gas connectors but include an industry-standard black coating for added corrosion protection and low visibility. This gas connector is commonly used for installation of home appliances including space heaters, fireplaces, and gas log sets. They are UL and CSA certified.

Spec:

- Corrosion-resistant 304 stainless steel
- Flared end fitting
- Added corrosion protection and low visibility
- Indoor and outdoor use
- CSA and UL certified for use with natural gas

If you do not see a size you need listed please contact our sales team. We can customize any part. Lead times may apply.

SKU#	ITEM#	LENGTH	CASE QTY
3/8" OD (1/4" ID) 3/8" MALE - 3/8" FEMALE			
112906	C-GCB-383838MF-12	12"	25 Pieces
112907	C-GCB-383838MF-18	18"	
112908	C-GCB-383838MF-24	24"	
112909	C-GCB-383838MF-36	36"	
3/8" OD (1/4" ID) 3/8" MALE - 1/2" FEMALE			
112403	C-GCB-383812MF-12	12"	25 Pieces
112404	C-GCB-383812MF-18	18"	
112405	C-GCB-383812MF-24	24"	
112406	C-GCB-383812MF-36	36"	
112407	C-GCB-383812MF-48	48"	
1/2" OD (3/8" ID) 3/8" MALE - 3/8" FEMALE			
111622	C-GCB-123838MF-12	12"	25 Pieces
111623	C-GCB-123838MF-24	24"	
111624	C-GCB-123838MF-36	36"	
1/2" OD (3/8" ID) 1/2" MALE - 1/2" FEMALE			
111619	C-GCB-121212MF-12	12"	25 Pieces
111620	C-GCB-121212MF-24	24"	
111621	C-GCB-121212MF-36	36"	

*May require extended lead times

GAS CONNECTORS

KITS



ITEM# 200047

- (1) 5/8" OD x 1/2" MIP x 1/2" MIP x 12" Gas Connector
- (1) 1/2" FIP x 1/2" FIP Gas Shut-Off Valve

ITEM# 200046

- (1) 5/8" OD x 1/2" MIP x 1/2" MIP x 18" Gas Connector
- (1) 1/2" FIP x 1/2" FIP Gas Shut-Off Valve

ITEM# 200045

- (1) 5/8" OD x 1/2" MIP x 1/2" MIP x 24" Gas Connector
- (1) 1/2" FIP x 1/2" FIP Gas Shut-Off Valve

ITEM# 200044

- (1) 5/8" OD x 1/2" MIP x 1/2" MIP x 36" Gas Connector
- (1) 1/2" FIP x 1/2" FIP Gas Shut-Off Valve

ITEM# 200043

- (1) 5/8" OD x 1/2" MIP x 3/4" MIP x 36" Gas Connector
- (1) 3/4" FIP x 3/4" FIP Gas Shut-Off Valve

GAS CONNECTORS

GAS FITTINGS



Cambridge™ gas connector fittings come in two different sizes in order to provide the correct gas tight fit. Cambridge™ gas connector fittings are CSA certified, ergonomically designed for ease-of-use, and easy to install.

Spec:

- CSA certified
- UL listed

ITEM#	SKU#	DESCRIPTION	PACK QTY	CASE QTY
GCF-1212M	110289	1/2" OD Flare x 1/2" MIP	Box of 10	10 Boxes
GCF-1212F	110288	1/2" OD Flare x 1/2" FIP		
GCF-5812M	109952	5/8" OD Flare x 1/2" MIP		
GCF-5812F	109764	5/8" OD Flare x 1/2" FIP		
GCF-5834M	109953	5/8" OD Flare x 3/4" MIP		
GCF-3434M	113819	3/4" OD Flare x 3/4" MIP		

GAS CONNECTORS

DISPLAY

ITEM# 200279

Cambridge™ offers a heavy duty display for your gas connector merchandising purposes. Convenient hooks for releasing the gas connector from the display come in four different sizes to accommodate various O.D. lengths. The hooks accommodate both the display and slatwall.

Organize your gas connectors by size, color or style easily with this user-friendly accommodation.

Display includes 5 hooks of each size. Additional hooks may be ordered separately.

Hook Item Numbers:

- 200087** Fits 3/8" OD (1/4" ID)
5 hooks/pack
- 200088** Fits 1/2" OD (3/8" ID)
5 hooks/pack
- 200089** Fits 5/8" OD (1/2" ID)
5 hooks/pack
- 200090** Fits 1" OD (3/4" ID)
5 hooks/pack



GAS CONNECTORS

GAS VALVES



Cambridge™ gas connector valves are constructed for durable, long-lasting usage and performance and are tested to be 100% leak resistant. Cambridge™ gas connector valves are CSA design certified, ergonomically designed for ease-of-use, and easy to install.

Spec:

- Leak resistant
- CSA certified
- UL listed

ITEM#	SKU#	DESCRIPTION	PACK QTY	CASE QTY
C-GC-1212FF-V	109011	1/2" FIP x 1/2" FIP	Box of 10	10 Boxes
C-GC-3434FF-V	109012	3/4" FIP x 3/4" FIP		
FIBV02	109844	3/8" OD Flare x 1/2" FIP		
FIBV03	109845	1/2" OD Flare x 1/2" FIP		
FIBV05*	110293	5/8" OD Flare x 1/2" FIP		
FIBV08*	110294	5/8" OD Flare x 3/4" FIP		

*May require extended lead times

GAS VALVES

GAS BALL VALVE



Spec:

- 1-piece body
- CSA certified
- UL Listed
- For use in above-ground piping systems up to 5 PSI
- ANSI Zn1.15 b/ CSA 9.1 certified for appliances and appliance connectors

ITEM#	SIZE	CASE QTY
200366	1/2" One piece construction	20 Pieces
200421	3/4" One piece construction	20 Pieces

GAS UNIONS

DIELECTRIC UNION



Cambridge™ dielectric unions are made from forged carbon steel. They create a non-conductive barrier between different metals, which prevents electrolysis corrosion from occurring. They are used for gas service.

ITEM#	COLOR	SIZE	PACK QTY	CASE QTY
200357	Black	3/4" FNPT x 3/4" FNPT	10 Bags of 1	100

GARDEN HOSE FITTINGS

END CAP



Cambridge™ end caps are cast in brass boiler for water service.

Spec:

- Brass
- Lead free

ITEM#	COLOR	STYLE	PACK QTY	CASE QTY
200085	3/4"	Female GHT	Bag of 10	50 Bags

FLARE NUTS

FORGED FLARE NUT SHORT TYPE



Spec:

- Forged
- Short type
- Brass
- Lead free

ITEM#	COLOR	PACK QTY	CASE QTY
200347	1/4"	Bag of 10	50 Bags
200348	3/8"		
200349	1/2"		
200350	5/8"		

VALVES

PRESS BALL



Spec:

- Forged brass
- Lead free
- 250 CWP

ITEM#	SIZE	PACK QTY	CASE QTY
200392	1/2"	Box of 5	10 Boxes
200393	3/4"		8 Boxes
200394	1"		4 Boxes
200395	1 1/4"		

VALVES

SWEAT BALL



Spec:

- Full Port
- Lead free
- 600 WOG
- CSA certified
- UL listed



ITEM#	SKU#	DESCRIPTION	PACK QTY	CASE QTY
0222280-R	113297	1/2" Sweat Ball Valve	Box of 10	10 Boxes
0222281-R	112846	3/4" Sweat Ball Valve		6 Boxes
0222282-R	113298	1" Sweat Ball Valve	Box of 8	
0222283-R	113940	1 1/4" Sweat Ball Valve	Box of 4	9 Boxes

VALVES

THREADED BALL



Spec:

- Full Port
- Lead free
- 600 WOG
- CSA certified for natural gas .5g, 5g, 125g
- UL listed



ITEM#	SKU#	DESCRIPTION	PACK QTY	CASE QTY
0222262-R	113941	3/8" FIP Ball Valve	Box of 10	10 Boxes
0222263-R	113299	1/2" FIP Ball Valve		8 Boxes
0222264-R	113300	3/4" FIP Ball Valve		6 Boxes
0222265-R	113301	1" FIP Ball Valve	Box of 8	9 Boxes
0222266-R	113302	1 1/4" FIP Ball Valve	Box of 4	12 Boxes
0222267-R	113303	1 1/2" FIP Ball Valve	Box of 2	6 Boxes
0222268-R	113304	2" FIP Ball Valve		

ACCESS VALVES

ACCESS VALVES



ITEM#	SKU#	DESCRIPTION	SIZE	PACK QTY	CASE QTY		
C-AVX2	112307	Valve	1/8" O.D.	Bag of 5	100 Bags		
200353	200353			Bag of 6			
C-AVX3	112308		3/16" O.D.	Bag of 5			
200354	200354			Bag of 6			
C-AVX4	112309		1/4" O.D.	Bag of 5			
T14723	112915			Bag of 6			
C-AVX6	112310		3/8" O.D.	Bag of 5		200 Bags	
T14724	112916			Bag of 3			
C-QC4	112311		Male Cap	1/4"		Bag of 5	120 Bags
200030	200030		Quick Seal Cap			Bag of 12	
C-AVC1	112306	Valve Core Replacement	N/A	Bag of 5	200 Bags		
200147	200147			Bag of 6			

MISCELLANEOUS

Cambridge™ offers a variety of miscellaneous products to aid the HVAC technician in their line of work. These products can also be used in a variety of other industries including construction and home improvement.

HVAC

TOOL POUCHES

Cambridge™ tool pouches give you a safe and easily accessible place to store your tools on any job site. They are an ideal on-site organizational solution, with easy access to external and internal pockets.



ITEM# CBP-01
SKU# 106567

HVAC

CHIP BRUSHES

Cambridge™ chip brushes are excellent all-purpose brushes that are ideal for painting, applying adhesives, touch-up work, and cleaning. Their affordability is great for any budget and their versatility covers



Spec:

- All natural bristle
- Durable hardwood handle
- Sturdy construction

ITEM#	SKU#	SIZE	STYLE	PACK QTY	CASE QTY
CB-112	110109	1 1/2"	Standard	Box of 12	24 Boxes
CB-2	110110	2"			
CB-212	110111	2 1/2"			
CB-3	110112	3"			
ACB2	111814	2"	Angled		12 Boxes

HVAC

CLOTH TOWELS

Cambridge™ cloth towels are a great choice for cleaning among a variety of industries. They are reusable.



ITEM#	SKU#	DESCRIPTION	CASE QTY
T-BST	106546	Blue - surgical	5 lb. Box
T-REW	106548	Assorted - shop	3.5 lb. Box
T-ROLL	106547	White - roll	Bag of 20
T-WPS	106549	White with stripe - shop	3.5lb Box



**CUSTOM
PLANOGRAMS
TAILORED TO
MEET YOUR
INDIVIDUAL
NEEDS**



**MULTIPLE
PACKAGING
STYLES TO
CHOOSE
FROM**



**CHANNELS AND
RAILCARD SYSTEMS
AVAILABLE**

QUALITY STANDARDS



Quality



Cambridge™ is committed to raising the industry standard for production, precision, and quality.

Durability



Every product manufactured by Cambridge™ meets or exceeds industry standards along with rigorous quality control standards the industrial markets expect from Cambridge™.


Code Compliance



Support



Our quality assurance and quality control process includes continuous product testing throughout manufacturing and ensures compliance to all relevant codes.





Cambridge Resources

100 Matawan Rd. Suite 300, Matawan, NJ 07747

Phone: 718-927-0009

Toll Free: 877-922-2538

Fax: 718-485-4403

www.CambridgeResources.com

info@cambridgeresources.com